

# Winter Liners



## A. Value Twill Liner

- 1 Layer: 100% cotton twill (with FR treatment until washed)
- No insulated ear barrier

Part Number	Description	Color
OCCRG200	Regular Length	Gold

## B. Classic Quilted Liners

- 3 Layers: 100% quilted nylon shell, foam center layer and a fleece lining
- Insulated ear barrier and warming pockets

Part Number	Description	Color
OCCRQ300	Regular Length, 2 mm Foam	Green
OCCRQ301	Regular Length, 4 mm Foam	Navy Blue

## C. Classic Twill Liners

- 2 Layers: 100% cotton twill top (with FR treatment until washed) and a fleece lining
- Insulated ear barrier and warming pockets

Part Number	Description	Color
OCCRB405	Regular Length	Navy Blue
OCCLB600	Mid-Length	Navy Blue
OCCLM660	Mid-Length with Removable Mouthpiece	Navy Blue
OCCSB505	Shoulder Length	Navy Blue

## D. Premium Twill Liner with 3M™ Thinsulate™ Insulation

- 3 Layers: 100% cotton twill top (with FR treatment until washed), 3M™ Thinsulate™ Insulation center layer and a fleece lining
- Insulated ear barrier and warming pockets

Part Number	Description	Color
OCCLN630	Mid-Length	Navy Blue
OCCSN530	Shoulder Length	Navy Blue

## E. Classic Sherpa Liners

- 2 Layers: 100% cotton twill top and a 50% acrylic/50% polyester sherpa lining
- Insulated ear barrier and warming pockets

Part Number	Description	Color
OCCLS610	Mid-Length	Navy Blue
OCCSS550	Shoulder Length	Navy Blue

## F. Premium Two-Way Liner

- 2 Layers: 100% cotton twill top and a fleece lining
- 100% spun polyester bottom with zipper on/off and double button neck closure
- Plastic buttons and zipper – no metal parts
- Insulated ear barrier and warming pockets

Part Number	Description	Color
OCCLZ620	Shoulder Length	Navy Blue, Black Bottom

A



OCCRG200

B



OCCRQ300

C



OCCLB600



OCCLM660

D



OCCSN530

E



OCCLS610

F



OCCLZ620

## G. Premium Flame-Resistant Shoulder-Length Two-Way Winter Liner

- Upper Cap: FR-treated cotton with Modacrylic jersey: Arc Rating: ATPV = 21 cal/cm<sup>2</sup>/HRC=2
- Lower: Modacrylic/Cotton/Spandex Soft Rib Knit 18.0 oz Arc Rating: ATPV = 28.6 cal/cm<sup>2</sup>/HRC=3
- Nomex® zipper and Nomex® thread
- Flame-resistant through 50 washings
- Insulated ear barrier and warming pack pockets
- Meets ASTM F1506 and NFPA 70E

G



OCCLZ620-FR

Part Number	Description	Color
OCCLZ620-FR	Shoulder Length	Midnight Blue





## A. Flame-Resistant Liners

- 2 Layers: FR-treated cotton outer and Modacrylic/cotton blend liner
- Nomex® thread
- Flame resistant through 50 washings
- Insulated ear barrier and warming pockets
- Meets ASTM F1506 and NFPA70E/HRC=2, ATPV=21 cal/cm²

Part Number	Description	Color
OCCLP690	Mid-Length	Navy
OCCSP590	Shoulder Length	Navy

## B. Heavy-Duty Fleece Liner

- 1 Layer: 100% polyester anti-pilling heavyweight fleece (Non-FR)
- No insulated ear barrier

Part Number	Description	Color
OCCRF450	Regular Length	Charcoal
OCCLF650	Mid-Length	Charcoal

## C. 3-in-1 Fleece Balaclava

- 100% polyester plush fleece
- Adjustable with drawstring for snug fit

Part Number	Description	Color
OCC1070-01	3-in-1 Fleece Balaclava	Navy Blue
OCC1070-CAMO	3-in-1 Fleece Balaclava	Camouflage
OCC1070-HVO	3-in-1 Fleece Balaclava	Hi-Viz Orange

## D. Classic Hard Hat Tube Liner

- Fits snugly over most regular brim hard hats

Part Number	Description	Color
OCCRK800-01	Classic Hat Liner	Navy
OCCRK800-03	Classic Hat Liner	Red
OCCRK800-HVO	Classic Hat Liner	Hi-Viz Orange
OCCLK810-01	Classic Full Face Hat Liner	Navy
OCCLK810-03	Classic Full Face Hat Liner	Red
OCCLK810-HVO	Classic Full Face Hat Liner	Hi-Viz Orange

## E. Classic Flame-Resistant Hard Hat Tube Liner

- 9.5 oz Modacrylic soft rib knit
- Nomex® thread
- Meets ASTM F1506 and NFPA 70E/HRC = 2, ATPV = 11.6 cal/cm²

Part Number	Description	Color
OCCRK900FR-01	Classic FR Hat Liner	Navy
OCCLK910FR-01	Classic FR Full Face Hat Liner	Navy

## F. HEATPAX™ Hand Warmers

- Slip into warming pockets of winter liners or gloves
- Air-activated for instant warmth
- 10 hours of full power and 30% warmer than leading brands

Part Number	Description	Packaged
OCC1100-10R	Hand Warmers	Pack of 5 Pairs



OCCSP590



OCCRF450



3 IN 1

OCC1070-01

OCC1070-CAMO

OCC1070-HVO



OCCLK810-03



OCCRK900FR-01



OCC1100-10R

Head and Face Protection

Hearing Protection

Respiratory Protection

Instrumentation

Fall Protection  
Confined Spaces

Hand Protection

Protective Workwear

First Aid Products

Spill Control & Containment

Facility Supplies

Flammable Storage



**RADNOR****A. Radnor® .35 mm Three-Piece PVC/Polyester Rain Suit**

- Durable .35 mm PVC over polyester construction
- Vented cape back and underarms to keep you cool
- Take up snaps at wrists, ankles and waist for tapered fit
- Welded seams and non-corrosive hardware
- Ideal for general purpose industrial applications

Part Number	Description	Size
① RAD64055911	Three-Piece Rain Suit	Medium
① RAD64055912	Three-Piece Rain Suit	Large
① RAD64055913	Three-Piece Rain Suit	XLarge
① RAD64055914	Three-Piece Rain Suit	2XLarge
① RAD64055915	Three-Piece Rain Suit	3XLarge
① RAD64055916	Three-Piece Rain Suit	4XLarge
① RAD64055917	Three-Piece Rain Suit	5XLarge

**B. Radnor® .32 mm Three-Piece PVC/Polyester Rain Suit**

- Made of durable yet comfortable yellow .32 mm PVC-coated polyester fabric with welded seams
- Jacket features black plastic snap storm fly front closure and take snaps at the wrists
- Detachable drawstring hood snaps over the rounded collar; two patch pockets with flaps
- Overalls have elastic insert adjustable suspenders, black plastic snap fly front, reinforced crotch and take up snaps at waist and ankles

Part Number	Description	Size
① RAD64055901	Three-Piece Rain Suit	Medium
① RAD64055902	Three-Piece Rain Suit	Large
① RAD64055903	Three-Piece Rain Suit	XLarge
① RAD64055904	Three-Piece Rain Suit	2XLarge
① RAD64055905	Three-Piece Rain Suit	3XLarge
① RAD64055906	Three-Piece Rain Suit	4XLarge
① RAD64055907	Three-Piece Rain Suit	5XLarge

**A****RAD64055912****B****RAD64055902****C****RCR267CL****D****RCRFR2003L****C. MCR Safety Classic™ and Classic Plus™ Raincoats**

- .35 mm PVC on polyester
- Cape vented back and detachable hood
- Classic Plus™ has corduroy collar for added comfort
- 200C with 2 patch pockets
- 240C with 2 slash reach through pockets and badge tab
- 267C with one inner and outer pocket, badge holder and 2 inner leg snaps which form chaps

Part Number	Description	Color
② RCR200C*	Classic™ 49" Raincoat	Yellow
② RCR240C*	Classic Plus™ 49" Raincoat	Yellow
② RCR267C*	Classic Plus™ 60" Raincoat	Black

\* To complete Part Number, insert size M, L, XL, X2, X3

**D. MCR Safety Classic™ 3 Piece Rainsuits**

- .35mm PVC on polyester
- Includes jacket with 2 patch pockets and detachable hood, and snap fly front bib pants
- Take up snaps at wrists and ankles
- Elastic insert adjustable suspenders and reinforced crotch
- FR2003 Limited Flammability tested in accordance with ASTM D6413

Part Number	Description	Color
② RCR2003*	Rain Suit	Yellow
② RCRFR2003*	Limited Flammability Rain Suit	Yellow

\* To complete Part Number, insert size L, XL, X2, X3, X4, X5



**WARNING ①:** This product can expose you to chemicals including Di(2-ethylhexyl) phthalate (DEHP), which is known to the State of California to cause cancer, and Di-n-butyl phthalate (DBP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



**WARNING ②:** Cancer and Reproductive Harm — [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)





### A. MCR Safety Hydroblast Suit

- .35 mm PVC/Polyester material
- Jacket features attached hood, drawstring bottom, hook and loop closure on front, wrists and neck
- Bib overalls feature full elastic suspenders and hook and loop closure at ankles
- Includes 10" x 10" shroud for extra neck protection (attaches to RCR181640SS face shield sold separately)

Part Number	Description	Color
① RCRHBS100*	Two-Piece Suit	Yellow

\* To complete Part Number, insert size L, XL, X2, X3, X4, X5

### B. MCR Safety Wizard™ Rainwear

- .28 mm double-coated PVC over 210 denier nylon scrim material
- "Rip Stop" material provides excellent resistant to snags and tears
- Protects against many chemicals, oils and acids
- Three-piece suit includes jacket with detachable hood and bib pants
- Limited flammability, tested in accordance with method ASTM D-6413

Part Number	Description	Color
① RCR3003*	Three-Piece Suit	Yellow
① RCR300JH*	Jacket with Attached Hood	Yellow
① RCR300C*	49" Jacket with Detachable Hood	Yellow
① RCR300BP*	Bib Pants with Fly	Yellow

\* To complete Part Number, insert size M, L, XL, X2, X3

# TINGLEY

est. 1896

### C. Tingley DuraScrim™ Rainsuit

- Three-piece suit includes jacket with detachable hood and overalls with snap fly front
- Double-coated PVC on open weave polyester scrim fabric offers extremely high tear strength and durability
- Mildew resistant
- Therm-O-Rad sealed seams for 100% waterproof and good chemical splash protection
- Take-up snaps on sleeves and ankle cuffs for adjustable fit
- Non-conductive, non-corrosive hardware
- Self-material collar and storm fly front to seal out wind, rain and contaminants
- Full cut shoulder for maximum freedom of movement
- Limited flame resistance. Test method ASTM D6413

Part Number	Description	Color
① T52S56307*	Three-Piece Suit	Yellow

\* To complete Part Number, insert size M, L, XL, 2X, 3X



**WARNING** ①: Cancer and Reproductive Harm –  
www.P65Warnings.ca.gov



RCRHBS100L



B

RCR300JHL



RCR300BPL



C T52S56307-L



D DIF76017-L-L



### D. ONGUARD Webtex Rainwear

- .65 mm heavy-duty ribbed PVC on non-woven polyester
- Reinforced crotch area to prevent splitting
- Adjustable suspenders and waist snaps
- Ankle and cuff take-up snaps for snug/tapered fit
- Jacket has storm flap front and two front snap pockets
- Underarm vents for cooling

Part Number	Description	Color
DIF76017-*	Three-Piece Suit	Yellow
DIF76032-*	Jacket with Hood Snaps	Yellow
DIF76060-LG	Heavy-Duty Hood (one size)	Yellow
DIF76034-*	Jacket with Attached Hood	Yellow
DIF76050-*	Plain Front Bib Overall	Yellow
DIF76052-*	Snap Fly Front Bib Overall	Yellow

\* To complete Part Number, insert size M, L, XL, 2X, 3X

Head and Face Protection

Hearing Protection

Respiratory Protection

Instrumentation

Fall Protection  
Confined Spaces

Hand Protection

Protective Workwear

First Aid Products

Spill Control &amp; Containment

Facility Supplies

Flammable Storage





## A. MCR Safety Dominator™ Protective Clothing

- Limited flammability. Test method ASTM D6413
- Protects against many chemicals and acids
- Jacket features a detachable hood, double enclosed zipper front and inner sleeves with elastic wrist closure
- No fly bib pants have a 10" x 10" reinforced crotch for longer wear and full elastic suspenders
- One-piece coverall features zipper front with double storm flap, attached hood with drawstring closure, 10" x 10" reinforced crotch and inner sleeves with elastic wrist closure
- Specially designed high tensile strength polyester double coated with two thick layers of PVC for a combined thickness of .42 mm

Part Number	Description	Color
② RCR388J*	Jacket with Detachable Hood	Green
② RCR388BF*	Bib Pants, No Fly	Green
② RCR3881*	Coveralls with Attached Hood	Green

\* To complete Part Number, insert size M, L, XL, X2, X3



## B. ONGUARD Chemtex Protective Clothing

- .42 mm heavy-duty PVC on high-count nylon polyester – Level C protection clothing
- Reinforced knees, elbows and crotch prevent splitting
- Adjustable waist snaps, ankle and cuff take-up snaps
- Limited flammability, tested in accordance with method ASTM D6413

Part Number	Description	Color
① DIF71032*	Jacket with Hood Snaps (no Hood)	Green
① DIF71050*	Bib Overalls, Plain Front	Green
① DIF71022*	Coveralls w/ Attached Hood and Inner Cuffs	Green
① DIF71060-LG	Snap-On Hood (one size)	Green

\* To complete Part Number, insert size M, L, XL, 2X, 3X



# TINGLEY

est. 1896

## C. Tingley Safetyflex® Protective Clothing

- Specialty PVC on polyester garments combines tough protection and soft supple feel
- Resists industrial acids, chemicals, and caustics
- Therm-O-Rad sealed seams for 100% liquid proof protection
- Coverall has attached hood, zipper closure with dual storm fly front, and ankle take-ups
- Tapered sleeves are designed to fit in protective gloves or accommodate glove rings for added safety
- Limited flame resistance. Test method ASTM D6413

Part Number	Description	Color
② T52J41008*	Jacket with High Collar	Green
② T52041008*	Overalls, Plain Front	Green
② T52V41108*	Coverall with Attached Hood	Green

\* To complete Part Number, insert size L, XL, 2X, 3X, 4X

# Ansell

## D. AlphaTec® Breathable Chemical Protective Clothing

- Features comfortable Gore® Chem Splash Tri-laminate fabric certified to NFPA 1992 for outstanding chemical splash protection
- Lightweight, flexible, snag-and-tear-resistant, stain-repellent and washable

Part Number	Description	Color
ANE66-660*	Polyester Jacket	Red
ANE66-662*	Polyester Bib Overalls	Red
ANE66-664*	Polyester Three-Piece Hood	Red

\* To complete Part Number, insert size M, L, XL, 2X



**WARNING ①:** This product can expose you to chemicals including Di(2-ethylhexyl) phthalate (DEHP), which is known to the State of California to cause cancer, and Di-n-butyl phthalate (DBP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**WARNING ②:** Cancer and Reproductive Harm — [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



# TINGLEY

est. 1896



## A. Tingley Comfort-Brite® Rainwear

- .35 mm (14 mil thick) PVC on polyester material
- Fluorescent material with 2" reflective tape for excellent visibility
- Therm-O-Rad sealed seams for 100% waterproof protection
- Jacket features zipper/storm fly front, hook and loop take-up straps on sleeves, roll-a-way hood in collar, two patch pockets with flaps and full vented cape back with D-ring fall protection access
- Overalls feature hook and loop take-up straps on leg cuffs and suspenders with quick release buckles and crossover
- Limited flame resistance. Test method ASTM D6413
- ANSI/ISEA 107-2015 Type R, Class 3 compliant jacket/suit, Class E compliant overall

Part Number	Description	Color
① T52J53122-*	Jacket with Attached Hood	Fluorescent Yellow-Green
① T52O53122-*	Overalls, Snap Fly Front	Fluorescent Yellow-Green

\* To complete Part Number, insert size M, L, XL, 2X, 3X, 4X

## B. Tingley ICON™ Rainwear

- Waterproof breathable polyurethane on 300 denier polyester fabric with stitched and taped sealed seams provides all season comfort
- Fluorescent material with 2" reflective tape for excellent visibility
- Jacket features mesh/taffeta lining, zipper/storm fly front with throat guard, roll-a-way adjustable hood in collar, two mic tabs, elastic cuffs with hook and loop take-up straps on sleeves and full vented cape back with D-ring fall protection access
- Hand warmer side pockets, front cargo pockets with hook and loop closure, front radio pocket with exterior badge holder, 2 mic tabs, and inner breast pocket with zipper closure
- Pants feature elastic waist with drawstring, side pass through pockets and hook and loop take-up straps on leg cuffs
- Overalls feature snap take-ups at waist, hook and loop take-up straps on leg cuffs and heavy-duty suspenders with quick release buckles and crossover
- ANSI/ISEA 107-2015 Type R, Class 3 compliant jacket/suit, Class E compliant overall

Part Number	Description	Color
① T52J24122-*	Jacket with Attached Hood	Fluorescent Yellow-Green
① T52O24122-*	Overalls, Snap Fly Front	Fluorescent Yellow-Green
① T52P24123-*	Rain Pants, Snap Fly Front	Black

\* To complete Part Number, insert size M, L, XL, 2X, 3X



## C. MCR Safety Luminator™ 2083SR Rain Suit

- Fluorescent three-piece suit is constructed of .38 mm double-coated PVC on polyester with welded seams
- Jacket features a detachable hood, flap pockets and 2" silver reflective tape around arms, body and across the shoulders
- Bib overalls feature a fly, easy release snaps and reflective stripes around the legs
- Meets ANSI/ISEA 107-2015 Type R, Class 3 Standard

Part Number	Description	Color
① RCR2083SR*	Three-Piece Suit	Fluorescent Lime

\* To complete Part Number, insert size M, L, XL, X2, X3



## D. OccuNomix High Visibility Breathable Pants

- 100% ANSI polyester tricot fabric
- 2" silver reflective tape leg stripes and snaps to secure cuffs
- Elastic waistband with pass-through pockets
- Meets ANSI 107-2015 Class E Standard (Class 3 when paired with ANSI vest, shirt or jacket)

Part Number	Description	Color
OCCTENBR-Y*	Breathable Pants	Fluorescent Yellow

\* To complete Part Number, insert size M, L, XL, 2X, 3X

### C RCR2083SRL

T52P24123-L



### D OCCTENBR-YL







## A. MCR Safety Luminator™ 5182 and 5182S Rain Suits

- 40 mm polyurethane on knitted cotton/polyester backing
- Jacket has zipper front with storm flap, tuck-away hood, two front patch pockets and elastic inner sleeve cuff
- Elastic waist pants with drawstring and expandable zippered ankle gussets
- Jacket meets ANSI/ISEA 107-2015 Type R, Class 3; Pants meet ANSI/ISEA 107-2015 Class E Standard for High Visibility Apparel

Part Number	Description	Color
① RCR5182*	Two-Piece Suit	Fluorescent Lime
① RCR5182S*	Two-Piece Suit	Fluorescent Lime/Black

\* To complete Part Number, insert size L, XL, X2, X3, X4

## B. MCR Safety Luminator™ 598 Jacket and Pants

- Breathable polyester/polyurethane jacket with soft inner liner
- Double stitched and taped seams, zipper front closure with velcro storm flap, elastic/velcro wrist closure, attached drawstring hood, two outer zipper pockets, one inner zipper pocket, 2" white prismatic reflective material
- Jacket meets ANSI/ISEA 107-2015 Type R, Class 3; Pants meet ANSI/ISEA 107-2015 Class E Standard for High Visibility Apparel

Part Number	Description	Color
① RCR598RJH*	Jacket	Fluorescent Lime
① RCR598RPW*	Pants	Fluorescent Lime

\* To complete Part Number, insert size L, XL, X2, X3

### A RCR5182SL



### B RCR598RJHX2



RCR598RPWX2



## C. High Visibility Breathable Rain Suits

- 100% ANSI polyester with PU coating – breathable, waterproof with sealed seams
- 2" 3M™ Scotchlite™ reflective material
- Pockets: two outside lower (jacket), pass-through (pants), two slant pass-through and one chest pocket with snaps and pen compartment (bib pants)
- Zipper and snap closure on jacket with zipper roll-away hood
- Elastic waistband pants with navy blue fabric at ankles to hide dirt
- Bib pants feature elastic suspenders with release buckle, zipper fly front opening, navy nylon heavy-duty reinforced knees with foam knee pad insert and adjustable leg cuffs with snaps
- Jacket meets ANSI 107-2015 Type R, Class 3 Standard
- Pants and Bib Pants meet ANSI/ISEA 107-2015 Class E Standard (Type R, Class 3 Standard when paired with ANSI/ISEA vest, shirt or jacket)

Part Number	Description	Color	Size
OCCTJR-Y	Rain Jacket	Yellow	Medium-3XLarge
OCCTENR-Y	Rain Pants	Yellow	Medium-3XLarge
OCCTENBIB-Y	Bib Pants	Yellow	Medium-3XLarge

C

OCCTJR-Y



OCCTENBIB-Y



OCCTENR-Y



**WARNING** ①: Cancer and Reproductive Harm –  
www.P65Warnings.ca.gov



## INFORMATION FOR YOUR SAFETY

**FYS**

### Types and Performance Classes of Garments under ANSI/ISEA 107-2015

The ANSI/ISEA 107-2015 Standard, the industry recognized yet voluntary consensus on high visibility safety apparel recommendations, continues to classify garments by 3 performance classes and has added garment types. In addition, the requirements of American National Standard for Public Safety Vests, ANSI/ISEA 207, have been consolidated into ANSI/ISEA 107-2015. Performance classes define the amount of background material, retroreflective or combined-performance materials on a garment and other considerations that make a person more easily seen in low visibility situations. Refer to ansi.org for complete information.

Types/Class	Intended Use	Work Examples	Performance Class
Type O Class 1	Off-Road / Non-Roadway	Oil & Gas extraction, Refinery and Mining	Class 1 provides the minimum amount of high visibility materials required to differentiate the wearer visually.
Type R Class 2	Roadway and Temporary Traffic Control	Roadway Construction Airport Workers Municipalities	Class 2 provides for the use of additional amounts of high visibility materials to identify the wearer more effectively.
Type R Class 3		Flaggers Nighttime Workers Municipalities	Class 3 offers greater visibility to the wearer in complex backgrounds and a full range of body movements. A sleeveless garment or vest alone is not considered Class 3.
Type P Class 2	Emergency and Incident Responders and Law Enforcement Personnel	Police Sheriff	Class 2 provides for the use of additional amounts of high visibility materials to identify the wearer more effectively.
Type P Class 3		Fire EMS	Class 3 offers greater visibility to the wearer in complex backgrounds and a full range of body movements. A sleeveless garment or vest alone is not considered Class 3.
Supplemental Class E	Pants, Overalls, Shorts, Rain Pants and Gaiters		When a Supplemental Class E item is worn with Performance Class 2 or 3, the overall classification for the ensemble is Performance Class 3.

This summary does not represent official, legal, or complete interpretations of the standard. If specific questions arise, the standards should be referred to and relied upon.



**NATIONAL  
SAFETY APPAREL®**

#### A. NSA Targo FR Rainwear

- Lightweight, breathable, and fast drying with 3M™ Scotchlite™ segmented reflective strips
- 100% waterproof and windproof
- Hot liquid, steam, petroleum and oil-based mud resistant
- Jacket has zippered chest pocket and 2 lower hand warmer pockets, hook and loop straps at cuffs, and 2 mic/gas detector tabs
- Bib overall has chest pocket, 2 lower cargo pockets, zip fly, with zippered leg openings with Velcro strap

Part Number	Description	Color
N33TARGOJACK-Y*	Jacket	Hi-Viz Yellow
N33TARGOBIB-Y*	Bib Overalls	Hi-Viz Yellow
N33TARGOHOOD-Y	Hood, One Size	Hi-Viz Yellow

\* To complete Part Number, insert size M, L, XL, 2X, 3X\*

**WARNING** ⚠: Cancer and Reproductive Harm –  
www.P65Warnings.ca.gov



**TINGLEY**

est. 1896

#### B. Tingley Eclipse™ Rainwear

- Zipper/storm fly front with snap closure and hidden hardware
- Flame resistant corduroy collar with roll-a-way hood
- Oversized three-piece hood
- Full-vented cape back and D-ring access
- Self-material suspenders with heavy duty quick release buckles and crossover
- Resistant to acids, oils, alcohols, salts and alkalis
- ANSI/ISEA 107 Type R, Class 3 compliant suit, jacket and coat
- Conforms to ASTM F1891 for Arc Thermal Performance and NFPA 70E – CAT 2 cal rating of 8.7
- Jacket and overalls conform to ASTM F2733

Part Number	Description	Color
① T52J44122*	Jacket with Attached Hood	Fluorescent Yellow-Green
① T52044122*	Overall, Snap Fly Front	Fluorescent Yellow-Green

\* To complete Part Number, insert size M, L, XL, 2X, 3X



Head and Face  
Protection

Hearing  
Protection

Respiratory  
Protection

Instrumentation

Fall Protection  
Confined Spaces

Hand  
Protection

Protective  
Workwear

First Aid  
Products

Spill Control &  
Containment

Facility Supplies

Flammable  
Storage



# RADNOR®

## A. Radnor® Hi-Viz 2-in-1 Jacket

- Waterproof 100% PU-coated polyester/300 denier oxford
- Zip-out fleece liner and roll-away hood
- 7-pocket design
- Meets ANSI 107/2015 Type R, Class 3 Standard

Part Number	Description	Color	Size
RAD64056010	Hi-Viz Jacket	Yellow/Black	Medium
RAD64056011	Hi-Viz Jacket	Yellow/Black	Large
RAD64056012	Hi-Viz Jacket	Yellow/Black	XLarge
RAD64056013	Hi-Viz Jacket	Yellow/Black	2X
RAD64056014	Hi-Viz Jacket	Yellow/Black	3X
RAD64056015	Hi-Viz Jacket	Yellow/Black	4X



RAD64056011



## B. Value Bomber

- 100% polyester 300 denier oxford with PU coating – waterproof with sealed seams
- 2" silver reflective tape
- 100% black polyester fleece lining and roll-up hood
- Pockets: one left chest radio, two lower front, one inside left chest
- Meets ANSI/ISEA 107-2015 Type R, Class 3 Standard

Part Number	Description	Size
OCCETJBJ-Y	Value Bomber Jacket	M-3XL



OCCETJBJ-Y

## C. Classic 3-Way Bomber

- 100% polyester 300 denier oxford with PU coating – waterproof with sealed seams
- 2" silver reflective tape
- 100% polyester fleece removable liner and roll-away hood
- Pockets: two outer, one inner, one radio, left sleeve pencil pocket with two compartments
- 2 mic tabs
- Meets ANSI/ISEA 107-2015 Type R, Class 3 Standard

Part Number	Description	Size
OCCETJBJR-BY	Classic Black Bottom Bomber Jacket	M-3XL



OCCETJBJR-BY

## D. Premium 4-Way Bomber

- Polyester 300 denier oxford with PU coating – waterproof with sealed seams
- 100% black polyester fleece removable liner
- 2" 3M™ Scotchlite™ reflective material: one 360° horizontal, two vertical and four 360° horizontal sleeve stripes
- Can be worn four ways
- Features: Roll-up removable hood. Two outside, one inside and one radio pocket. Zipper and snap closure
- Meets ANSI/ISEA 107-2015 Type R, Class 3 Standard

Part Number	Description	Size
OCCTJBJ-Y	Premium Original Bomber Jacket	M-3XL
OCCTJBJ-BY	Premium Black Bottom Bomber Jacket	M-3XL



OCCTJBJ-Y

OCCTJBJ-BY



### A. Value Class 2 Mesh Vests

- 100% lightweight polyester mesh fabric
- One 360° horizontal and two vertical shoulder stripes of 2" wide ANSI-compliant reflective tape
- Hook and loop or zipper closure
- Meets ANSI/ISEA 107-2015 Type R, Class 2 Standard

Part Number	Description	Color	Size
<b>Hook and Loop</b>			
RAD64055921	Mesh Vest	Yellow	Small/Medium
RAD64055922	Mesh Vest	Yellow	Large/XLarge
RAD64055923	Mesh Vest	Yellow	2XLarge/3XLarge
RAD64055924	Mesh Vest	Yellow	4XLarge/5XLarge
RAD64055925	Mesh Vest	Orange	Small/Medium
RAD64055926	Mesh Vest	Orange	Large/XLarge
RAD64055927	Mesh Vest	Orange	2XLarge/3XLarge
RAD64055928	Mesh Vest	Orange	4XLarge/5XLarge

#### Zipper

RAD64055986	Mesh Vest	Yellow	Small/Medium
RAD64055987	Mesh Vest	Yellow	Large/XLarge
RAD64055988	Mesh Vest	Yellow	2XLarge/3XLarge
RAD64055989	Mesh Vest	Yellow	4XLarge/5XLarge

### B. Value Class 3 Mesh Vests

- 100% lightweight polyester mesh fabric
- One 360° horizontal and two vertical shoulder stripes of 2" wide ANSI-compliant reflective tape
- Two pockets and zipper closure
- Meets ANSI/ISEA 107-2015 Type R, Class 3 Standard

Part Number	Description	Color	Size
RAD64055982	Mesh Vest	Yellow	Small/Medium
RAD64055983	Mesh Vest	Yellow	Large/XLarge
RAD64055984	Mesh Vest	Yellow	2XLarge/3 Large
RAD64055985	Mesh Vest	Yellow	4XLarge/5XLarge

### C. Value Class 2 Break-Away Mesh Vests

- 100% polyester mesh
- 2" silver reflective tape
- 5 point break-away
- Hook and loop closure and 2 inner chest pockets
- Meets ANSI/ISEA107-2015 Type R, Class 2 Standard

Part Number	Description	Color	Size
RAD64055991	Break-Away Mesh Vest	Yellow	Small/Medium
RAD64055992	Break-Away Mesh Vest	Yellow	Large/XLarge
RAD64055993	Break-Away Mesh Vest	Yellow	2XLarge/3XLarge
RAD64055994	Break-Away Mesh Vest	Yellow	4XLarge/5XLarge

### D. Value Class 2 Two-Tone Surveyor Vests

- 100% polyester mesh front/solid tricot back
- 2" silver reflective tape backed by contrasting ANSI-compliant trim
- 2 mic tabs
- Zipper closure
- Meets ANSI/ISEA107-2015 Type R, Class 2 Standard

Part Number	Description	Color	Size
RAD64055996	Two-Tone Surveyor Vest	Yellow	Small/Medium
RAD64055997	Two-Tone Surveyor Vest	Yellow	Large/XLarge
RAD64055998	Two-Tone Surveyor Vest	Yellow	XLarge/3XLarge
RAD64055999	Two-Tone Surveyor Vest	Yellow	4XLarge/5XLarge

A



RAD64055922



RAD64055926

RAD64055987



B

RAD64055983



C

RAD64055992



D

RAD64055997



Head and Face Protection

Hearing Protection

Respiratory Protection

Instrumentation

Fall Protection  
Confined Spaces

Hand Protection

Protective Workwear

First Aid Products

Spill Control & Containment

Facility Supplies

Flammable Storage



# High Visibility Vests

# RADNOR®

## A. High Visibility Class 2 Mesh Vests

- 100% lightweight polyester mesh fabric
- 2" wide 3M™ Scotchlite™ reflective material
- Hook and loop closure
- Meets ANSI/ISEA 107-2015 Type R, Class 2 Standard

Part Number	Description	Color	Size
RAD64055957	Mesh Vest	Yellow	Medium
RAD64055958	Mesh Vest	Yellow	Large
RAD64055959	Mesh Vest	Yellow	XLarge
RAD64055960	Mesh Vest	Yellow	2XLarge
RAD64055961	Mesh Vest	Yellow	3XLarge
RAD64055962	Mesh Vest	Yellow	4XLarge

## B. High Visibility Class 2 Break-Away Vests

- 100% lightweight solid polyester fabric
- 2" wide 3M™ Scotchlite™ reflective material
- Hook and loop closures at top, sides and front
- One inside pocket, one outside pocket with pen compartment and a utility loop
- Meets ANSI/ISEA 107-2015 Type R, Class 2 Standard

Part Number	Description	Color	Size
RAD64055929	Break-Away Vest	Yellow	Medium
RAD64055930	Break-Away Vest	Yellow	Large
RAD64055931	Break-Away Vest	Yellow	XLarge
RAD64055932	Break-Away Vest	Yellow	2XLarge
RAD64055933	Break-Away Vest	Yellow	3XLarge
RAD64055934	Break-Away Vest	Yellow	4XLarge

## C. High Visibility Class 2 Dual Stripe Surveyor Vests

- 100% lightweight solid polyester fabric
- Two 360° horizontal and two vertical shoulder stripes of 2" wide 3M™ Scotchlite™ reflective material
- Fully dielectric, non-conductive zipper
- Twelve pockets — nine outside and three inside
- Meets ANSI/ISEA 107-2015 Type R, Class 2 Standard

Part Number	Description	Color	Size
RAD64055943	Surveyor Vest	Yellow	Medium
RAD64055944	Surveyor Vest	Yellow	Large
RAD64055945	Surveyor Vest	Yellow	XLarge
RAD64055946	Surveyor Vest	Yellow	2XLarge
RAD64055947	Surveyor Vest	Yellow	3XLarge
RAD64055948	Surveyor Vest	Yellow	4XLarge
RAD64055950	Surveyor Vest	Orange	Medium
RAD64055951	Surveyor Vest	Orange	Large
RAD64055952	Surveyor Vest	Orange	XLarge
RAD64055953	Surveyor Vest	Orange	2XLarge
RAD64055954	Surveyor Vest	Orange	3XLarge
RAD64055955	Surveyor Vest	Orange	4XLarge

## D. High Visibility Class 2 Short Sleeve Wicking Polyester T-Shirts

- 100% lightweight polyester with Whisk-It™ treatment to wick away perspiration
- One 360° horizontal and two vertical shoulder stripes of 2" wide 3M™ Scotchlite™ reflective material
- Meets ANSI/ISEA 107-2015 Type R, Class 2 Standard

Part Number	Description	Color	Size
RAD64056066	Wicking T-Shirt	Yellow	Medium
RAD64056067	Wicking T-Shirt	Yellow	Large
RAD64056068	Wicking T-Shirt	Yellow	XLarge
RAD64056069	Wicking T-Shirt	Yellow	2XLarge
RAD64056070	Wicking T-Shirt	Yellow	3XLarge
RAD64056071	Wicking T-Shirt	Orange	Medium
RAD64056072	Wicking T-Shirt	Orange	Large
RAD64056073	Wicking T-Shirt	Orange	XLarge
RAD64056074	Wicking T-Shirt	Orange	2XLarge
RAD64056075	Wicking T-Shirt	Orange	3XLarge



RAD64055958

RAD64055930



RAD64055951

RAD64056072





## A. Premium Mesh Two-Tone Vests

- 100% ANSI polyester mesh with hook and loop closure
- 2" 3M™ Scotchlite™ reflective material backed by ANSI-compliant trim
- Pockets: one outside lower, one inside chest with hook and loop
- Meets ANSI/ISEA 107-2015 Type R, Class 2 Standard

Part Number	Description	Color
OCCSSCOOL2-Y*	Premium Mesh Two-Tone	Yellow

\* To complete Part Number, insert size M, L, XL, 2X, 3X

## B. Classic Mesh Two-Tone Vests

- 100% ANSI polyester mesh with zipper closure
- 2" silver reflective tape backed by ANSI-compliant trim
- Pockets: one inside left chest with hook and loop closure, one outside lower pocket

Part Number	Description	Color
OCCSSCLC2Z-Y*	Classic Mesh Two-Tone	Yellow

\* To complete Part Number, insert size M, L, XL, 2X, 3X

## C. Premium Mesh Two-Tone Expandable Vests

- 100% ANSI polyester mesh with zipper closure
- 2" 3M™ Scotchlite™ reflective material backed by ANSI-compliant trim
- Expandable side panels
- Pockets: one outer left chest, two inside lower
- Meets ANSI/ISEA 107-2015 Type R, Class 2 Standard

Part Number	Description	Color	Size
OCCSC2TZ-YM/L	Two-Tone Expandable	Yellow	Medium/Large
OCCSC2TZ-YXL/2	Two-Tone Expandable	Yellow	XLarge/2XLarge
OCCSC2TZ-Y3/4X	Two-Tone Expandable	Yellow	3XLarge/4XLarge

## D. Premium Mesh 5-Pt Break-Away Vests

- 100% ANSI polyester mesh with hook and loop closures at top, sides and front
- 2" 3M™ Scotchlite™ reflective material
- Pockets: one outside lower, one inside chest with hook and loop and mic tab
- Meets ANSI/ISEA 107-2015 Type R, Class 2 Standard

Part Number	Description	Color
OCCSSBRPC-Y*	Premium Mesh Break-Away	Yellow

\* To complete Part Number, insert size M, L, XL, 2X, 3X

## E. Classic Mesh Surveyor Vests

- 100% ANSI polyester mesh with zipper closure
- 2" silver reflective tape: One 360° horizontal stripe, two vertical stripes
- Pockets: two inside lower with pen compartment, four pen on outside right chest, one outside left double with four pen compartments

Part Number	Description	Color
OCCSSGCS-Y*	Classic Mesh Surveyor	Yellow
OCCSSGCS-O*	Classic Mesh Surveyor	Orange

\* To complete Part Number, insert size S/M, L/XL, 2/3X

**A** OCCSSCOOL2-YL



**B** OCCSSCLC2Z-YL



**C** OCCSC2TZ-YM/L



**D** OCCSSBRPC-YL



**E** OCCSSGCS-YL/XL



Head and Face Protection

Hearing Protection

Respiratory Protection

Instrumentation

Fall Protection  
Confined Spaces

Hand Protection

Protective Workwear

First Aid Products

Spill Control & Containment

Facility Supplies

Flammable Storage



# High Visibility Vests



## A. Premium Solid Dual Stripe Vests

- 100% ANSI polyester tricot with hook and loop closure
- 2" 3M™ Scotchlite™ reflective material: Two 360° horizontal stripes, two vertical stripes
- Meets ANSI/ISEA 107-2015 Type R, Class 2 Standard

Part Number	Description	Color
OCCSSFULLG-Y*	Premium Solid Dual Stripe Vest	Yellow

\* To complete Part Number, insert size M, L, XL, 2X, 3X

## B. Classic Solid Two-Tone Surveyor Vest

- 100% ANSI polyester tricot with zipper closure
- 2" silver reflective tape backed by contrasting ANSI-compliant trim
- Large arm opening for use over cold weather outerwear
- Pockets: 2 inner lower, 2 outer lower flapped, 4 pen, 1 divided (2 sections)
- Meets ANSI/ISEA 107-2015 Type R, Class 2 Standard

Part Number	Description	Color
OCCATRANS-Y*	Classic Solid Two-Tone Surveyor	Yellow
OCCATRANS-O*	Classic Solid Two-Tone Surveyor	Orange

\* To complete Part Number, insert size M, L, XL, 2X, 3X

## C. Value Mesh Vest

- 100% ANSI polyester mesh with zipper closure
- 2" silver reflective tape
- Pockets: 1 left chest, 1 lower inside
- Meets ANSI/ISEA 107-2015 Type R, Class 2 Standard

Part Number	Description	Color
OCCECO-IMZ-Y*	Value Mesh Vest	Yellow

\* To complete Part Number, insert size M, L, XL, 2X, 3X

## D. Value Mesh Surveyor Vest

- 100% ANSI polyester mesh with zipper closure
- 2" silver reflective tape
- Pockets: 2 inner lower w/pen compartment, 4 pen on outer right chest, 1 outer left double w/4 pen compartments
- Meets ANSI/ISEA 107-2015 Type R, Class 3 Standard

Part Number	Description	Color
OCCGCS-Y*	Value Mesh Surveyor	Yellow

\* To complete Part Number, insert size S/M, L/XL, 2/3X, 4/5X



OCCSSFULLG-YL

B OCCATRANS-YL



OCCATRANS-OL



OCCECO-IMZ-YL



D OCCGCS-YL/XL





## A. Economy Mesh Two-Tone Vest

- 100% ANSI polyester mesh with zipper closure
- 2" silver reflective tape set on 4" contrast band
- Mic tab
- Pockets: 1 smartphone flap chest pocket with gusset, 1 large inside pocket and 1 inside pencil pocket
- Meets ANSI/ISEA 107-2015 Type R, Class 3 Standard

Part Number	Description	Color
OCCIMZ32T-Y*	Economy Mesh Two-Tone	Yellow

\* To complete Part Number, insert size M, L, XL, 2X, 3X



## B. Short Sleeve 3.8 oz Wicking Birdseye T-Shirt

- 100% ANSI wicking polyester birdseye
- 2" silver reflective tape, black bottom front to hide dirt and up to UPF 30 protection
- 3.8 oz fabric weight – lightweight and comfortable
- Pocket: 1 left chest
- Meets ANSI/ISEA 107-2015 Type R, Class 2 Standard

Part Number	Description	Color
OCCSSETPBK-Y*	Wicking Birdseye T-Shirt	Yellow w/Black

\* To complete Part Number, insert size M, L, XL, 2X, 3X



## C. Long Sleeve 3.8 oz Wicking Birdseye T-Shirt

- 100% ANSI wicking polyester birdseye
- 2" silver reflective tape with up to UPF 30 protection
- 3.8 oz fabric weight – lightweight and comfortable
- Pocket: 1 left chest
- Meets ANSI/ISEA 107-2015 Type R, Class 3 Standard

Part Number	Description	Color
OCCLSETP3B-Y*	Wicking Birdseye T-Shirt	Yellow
OCCLSETPBK-Y*	Wicking Birdseye T-Shirt	Yellow w/Black

\* To complete Part Number, insert size M, L, XL, 2X, 3X



## D. Premium Wicking Hoodie Sweatshirts

- 100% ANSI wicking polyester, 9 oz fabric weight
- 2" 3M™ Scotchlite™ reflective material: One 360° horizontal stripe, two vertical stripes, and four 360° horizontal sleeve stripes
- Zipper closure with elastic cuff and waistband
- Pockets: two lower front
- Meets ANSI/ISEA 107-2015 Type R, Class 3 Standard

Part Number	Description	Color
OCCSWT3HZ-Y*	Premium Wicking Hoodie	Yellow

\* To complete Part Number, insert size M, L, XL, 2X, 3X



D OCCSWT3HZ-YL

Head and Face Protection

Hearing Protection

Respiratory Protection

Instrumentation

Fall Protection  
Confined Spaces

Hand Protection

Protective Workwear

First Aid Products

Spill Control & Containment

Facility Supplies

Flammable Storage



# High Visibility Vests



## A. Premium Flame-Resistant Solid Vests

- 6.2 oz 100% ANSI modacrylic with hook and loop closure
- 2" 3M™ Scotchlite™ reflective material on 8935 silver industrial wash flame resistant fabric
- Nomex® thread and flame resistant binding
- Pocket: 1 outer lower right
- Meets ASTM F1506 and NFPA 70E/HRC = 1, ATPV = 5.5 cal/cm<sup>2</sup>
- Meets ANSI/ISEA 107-2015 Type R, Class 2 Standard

Part Number	Description	Color
OCCSSG/FR-Y*	Premium Flame-Resistant Solid	Yellow

\* To complete Part Number, insert size M, L, XL, 2X, 3X

## B. Premium Flame-Resistant Mesh Vests

- 5.8 oz 100% ANSI modacrylic with hook and loop closure
- 2" 3M™ Scotchlite™ reflective material on 8935 silver industrial wash flame resistant fabric
- Nomex® thread and flame resistant binding
- Pocket: 1 outer lower right
- Meets ASTM F1506 and NFPA 70E/HRC = 1, ATPV = 4.6 cal/cm<sup>2</sup>
- Meets ANSI/ISEA 107-2015 Type R, Class 2 Standard

Part Number	Description	Color
OCCSSFGCFR-Y*	Premium Flame-Resistant Mesh	Yellow

\* To complete Part Number, insert size M, L, XL, 2X, 3X

## C. Flame Resistant Cotton Solid Vest

- 7 oz FR cotton/poly blend with hook and loop closure
- 2" FR reflective tape
- Pocket: 1 outer lower right
- Meets NFPA 2112
- Meets ASTM F1506 and NFPA 70E/CAT 2, ATPV = 9.5 cal/cm<sup>2</sup>
- Meets ANSI/ISEA 107-2015 Type R, Class 2 Standard

Part Number	Description	Color
OCCFR-VCR1112-Y*	FR Cotton Solid Vest	Yellow

\* To complete Part Number, insert size M, L, XL, 2X, 3X

## D. Classic Flame Resistant HRC2 Solid Vest

- ANSI Tencel®/modacrylic/aramid blend with hook and loop closure
- NFPA 2112 compliant fabric
- 2" 3M™ Scotchlite™ reflective material
- Nomex® thread and flame resistant binding
- Pocket: 1 outer lower right
- Meets ASTM F1506 and NFPA 70E/HRC = 2, ATPV = 8.6 cal/cm<sup>2</sup>

Part Number	Description	Color
OCCHRC2FR-Y*	FR Cotton HRC2 Vest	Yellow

\* To complete Part Number, insert size M, L, XL, 2X, 3X

A OCCSSG/FR-YL



B OCCSSFGCFR-YL



C OCCFR-VCR1112-YL



D OCCHRC2FR-YL







## Economy NON-ANSI Vests Feature:

- Polyester mesh fabric with hook and loop closure
- Large inside pocket
- Sizes Regular (37"-43"), XLarge (44"-50"), 4XLarge (55"-63")
- Individually bagged

### A. XNTM — No reflective tape, elastic side straps

Part Number	Description	Color
OCCXNTM-O*	Mesh Vest, No Reflective Tape	Orange
OCCXNTM-Y*	Mesh Vest, No Reflective Tape	Yellow

\* To complete Part Number, insert size R (Regular), XL (XLarge), 4X (4XLarge)

### B. XSBM — 1" silver glass bead reflective tape, elastic side straps

Part Number	Description	Color
OCCXSBM-O*	Mesh Vest, 1" Silver Reflective Tape	Orange
OCCXSBM-Y*	Mesh Vest, 1" Silver Reflective Tape	Yellow

\* To complete Part Number, insert size R (Regular), XL (XLarge), 4X (4XLarge)

### C. XGTM — 1" glossy reflective tape — white on yellow fabric or yellow on orange fabric, elastic side straps

Part Number	Description	Color
① OCCXGTM-O*	Mesh Vest, 1" Yellow Reflective Tape	Orange
① OCCXGTM-Y*	Mesh Vest, 1" White Reflective Tape	Yellow

\* To complete Part Number, insert size R (Regular), XL (XLarge), 4X (4XLarge)

### D. XTTM — 1 3/8" two-tone reflective tape, elastic side straps

Part Number	Description	Color
OCCXTTM-O*	Mesh Vest, 1 3/8" Yellow Reflective Tape	Orange
OCCXTTM-Y*	Mesh Vest, 1 3/8" White Reflective Tape	Yellow

\* To complete Part Number, insert size R (Regular), XL (XLarge), 4X (4XLarge)

### E. Classic Solid Two-Tone Surveyor Vests

- Durable woven twill 100% polyester with zipper closure
- 3/4" white gloss tape backed by orange or yellow trim, creating two-tone: One 360° horizontal stripe, two vertical stripes
- Large arm opening for use over cold weather outer wear
- Pockets: two inside lower, two outside lower flapped, four pen, one divided (outside upper chest)
- NON-ANSI

Part Number	Description	Color
① OCCXTRANS-O*	Classic Solid Two-Tone Surveyor Vest	Orange
① OCCXTRANS-Y*	Classic Solid Two-Tone Surveyor Vest	Yellow

\* To complete Part Number, insert size M, L, XL, 2X



OCCXNTM-OR

OCCXSBM-OR



OCCXGTM-OR

OCCXTTM-OR



OCCXTRANS-YL



**WARNING ①:** Cancer and Reproductive Harm — [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

Head and Face Protection

Hearing Protection

Respiratory Protection

Instrumentation

Fall Protection Confined Spaces

Hand Protection

Protective Workwear

First Aid Products

Spill Control & Containment

Facility Supplies

Flammable Storage



# RADNOR

**A** RAD64055072

## A. Leather Cape Sleeve and Bib

- Durable side split bourbon brown leather is specially tanned for heat resistance
- Seams are double lock-stitched with Kevlar®, and snaps are black anodized to prevent arc flashback
- Features one soapstone pocket on each sleeve, adjustable wrists, rust-resistant plated hardware and rivet-reinforced stress points
- Cape Sleeve and Bib sold separately

Part Number	Description	Size
RAD64055070	Leather Cape Sleeve	Small
RAD64055071	Leather Cape Sleeve	Medium
RAD64055072	Leather Cape Sleeve	Large
RAD64055073	Leather Cape Sleeve	XLarge
RAD64055074	Leather Cape Sleeve	2XLarge
RAD64055075	Leather Cape Sleeve	3XLarge
RAD64055076	Leather Cape Sleeve	4XLarge

### Leather Bib

RAD64055079	Fits Cape Sleeves Small-XLarge	14"
RAD64055085	Fits Cape Sleeves Small-XLarge	20"
RAD64055091	Fits Cape Sleeves Small-XLarge	24"
RAD64055080	Fits Cape Sleeves 2XLarge-4XLarge	14"
RAD64055086	Fits Cape Sleeves 2XLarge-4XLarge	20"
RAD64055092	Fits Cape Sleeves 2XLarge-4XLarge	24"



RAD64055091

**B**

RAD64055063

## B. Leather Jacket

- Specially tanned for heat-resistance
- 30" leather jacket is made of soft, durable bourbon brown side split leather
- Kevlar® double lock-stitched seams add heat resistance and strength
- Underarm gussets allow freedom of movement while adjustable snaps at wrists and back customize fit
- Features outside pocket, soapstone pockets on each sleeve, plated hardware to prevent rust, leather reinforced black anodized snaps and rivet reinforced stress points

Part Number	Description	Size
RAD64055061	30" Leather Jacket	Small
RAD64055062	30" Leather Jacket	Medium
RAD64055063	30" Leather Jacket	Large
RAD64055064	30" Leather Jacket	XLarge
RAD64055065	30" Leather Jacket	2XLarge
RAD64055066	30" Leather Jacket	3XLarge
RAD64055067	30" Leather Jacket	4XLarge



**C**

RAD64055152

## C. Leather Sleeves

- Available in either 18" with snap closure at wrist and slide adjustment at top, or 23" with adjustable leather neck straps
- Sold per pair

Part Number	Description	Size
RAD64055150	Leather Sleeves, Snap Closure	18"
RAD64055152	Leather Sleeves, Adjustable Neck	23"




RAD64055150







**A** RAD64055142



**B** RAD64055145

### A. Leather Bib Apron

- Specially tanned side split cowhide provides greater resistance and protection from sparks and spatter
- Features two chest pockets, crossed back straps and molded side release buckles

Part Number	Description	Size
RAD64055140	Bib Apron	24" x 30"
RAD64055141	Bib Apron	24" x 36"
RAD64055142	Bib Apron	24" x 42"
RAD64055143	Bib Apron	24" x 48"

### B. Leather Split Leg Bib Apron

- Specially tanned side split cowhide provides greater resistance and protection from sparks and spatter
- Same features as bib apron with side release buckles down the legs

Part Number	Description	Size
RAD64055144	Split Leg Bib Apron	24" x 36"
RAD64055145	Split Leg Bib Apron	24" x 42"
RAD64055146	Split Leg Bib Apron	24" x 48"

### C. Leather Waist Apron

- Made from one-piece premium side split cowhide
- Heavy-duty waist strap secures apron comfortably

Part Number	Description	Size
RAD64055135	Waist Apron	24" x 18"
RAD64055136	Waist Apron	24" x 24"
RAD64055137	Split Leg Waist Apron	24" x 36"



**C** RAD64055136



**D** RAD64055157



**E** RAD64055158

### D. Leather Shoe Protectors

- Premium side split cowhide and all Kevlar® stitching
- Provide durability and are highly heat-resistant
- Shoe protectors close with leather straps and snaps
- 7" shoe protectors feature hook and loop closures
- Sold per pair

Part Number	Description	Size
RAD64055156	Leather Shoe Protectors	Ankle-High
RAD64055157	Leather Shoe Protectors	7"

### E. Leather Leggings

- Constructed of premium side split cowhide that tucks into a spring steel clip to form a sturdy frame around leg to keep legging in position
- Legging can be adjusted and readily removable
- Kevlar® stitching enhances heat resistance
- Sold per pair

Part Number	Description	Size
RAD64055158	Leather Leggings	15"




**A** RAD64054962



**B** RAD64054943



**C** RAD64054972



### A. Flame-Resistant Cotton Jacket

- 9 oz green flame-resistant 100% cotton fabric
- Protects from sudden flame exposure, light-duty welding and sparks
- Designed to self extinguish when exposed to flame or thermal ignition sources
- Fabric will not shrink, melt or drip molten residues
- Cool, comfortable and washable

Part Number	Description	Size
RAD64054960	30", 9 oz FR Cotton Jacket	Small
RAD64054961	30", 9 oz FR Cotton Jacket	Medium
RAD64054962	30", 9 oz FR Cotton Jacket	Large
RAD64054963	30", 9 oz FR Cotton Jacket	XLarge
RAD64054964	30", 9 oz FR Cotton Jacket	2XLarge
RAD64054965	30", 9 oz FR Cotton Jacket	3XLarge
RAD64054966	30", 9 oz FR Cotton Jacket	4XLarge

### B. Flame-Resistant Cotton Bib Apron

- 9 oz green flame-resistant 100% cotton fabric
- Protects torso from sudden flame exposure
- Cool, comfortable and washable, must be kept clean to insure protection

Part Number	Description	Size
RAD64054941	9 oz FR Cotton Bib Apron	24" x 36"
RAD64054942	9 oz FR Cotton Bib Apron	24" x 42"
RAD64054943	9 oz FR Cotton Bib Apron	24" x 48"

### C. Flame-Resistant Cotton Cape Sleeve and Bib

- 9 oz green flame-resistant 100% cotton fabric
- Protects shoulders, arms and front torso from sudden flame exposure, light-duty welding and sparks
- Cool, comfortable and washable
- Cape sleeve and bib sold separately

Part Number	Description	Size
RAD64054970	9 oz FR Cotton Cape Sleeve	Small
RAD64054971	9 oz FR Cotton Cape Sleeve	Medium
RAD64054972	9 oz FR Cotton Cape Sleeve	Large
RAD64054973	9 oz FR Cotton Cape Sleeve	XLarge
RAD64054974	9 oz FR Cotton Cape Sleeve	2XLarge
RAD64054975	9 oz FR Cotton Cape Sleeve	3XLarge
RAD64054976	9 oz FR Cotton Cape Sleeve	4XLarge
<b>9 oz FR Bib</b>		
RAD64054979	Fits Cape Sleeves, Medium-XLarge	14"
RAD64054985	Fits Cape Sleeves, Medium-XLarge	20"
RAD64054991	Fits Cape Sleeves, Medium-XLarge	24"

See page 278 for Radnor Flame Resistant Sleeves.



# RADNOR

## A. Radnor® Flame-Resistant Cotton Jacket With Leather Sleeves

- 30" jacket offers comfort and protection
- Body made from 9 oz royal blue, flame-resistant 100% cotton
- Sleeves are made of premium quality side split cowhide, specially tanned for heat-resistance
- Spacious inside pocket and soap stone pocket on each sleeve
- Sleeve seams are double lock-stitched with Kevlar® thread and feature double leather reinforced button snaps
- Designed for light duty welding only

Part Number	Description	Size
RAD64055160	Jacket with Leather Sleeves	Small
RAD64055161	Jacket with Leather Sleeves	Medium
RAD64055162	Jacket with Leather Sleeves	Large
RAD64055163	Jacket with Leather Sleeves	XLarge
RAD64055164	Jacket with Leather Sleeves	2XLarge
RAD64055165	Jacket with Leather Sleeves	3XLarge
RAD64055166	Jacket with Leather Sleeves	4XLarge

## B. Tillman™ Lightweight Flame-Resistant Cotton Coveralls

- 9 oz green flame-resistant 100% cotton Westex® FR7A® material
- Protects from sudden flame exposure, light-duty welding and sparks
- Features two breast pockets, two rear pockets and two front inset pockets and rugged snap closures
- Sized generously for fit over clothes
- Maintains flame-resistance for up to 50 home washings at 145°F or 25 commercial washings up to 165°F

Part Number	Description	Size
TIL6900	Green FR Cotton Coveralls	Medium-XLarge
TIL69002X	Green FR Cotton Coveralls	2XLarge



NATIONAL  
SAFETY APPAREL®

## C. NSA Standard Aluminized Coat

- 16 oz Aluminized Acrsilyl material
- Aluminized front and back with snap closures

Part Number	Description	Size
N33C17AS*30	16 oz Aluminized Acrsilyl Coat	30"
N33C17AS*50	16 oz Aluminized Acrsilyl Coat	50"

\*To complete Part Number, insert size LG, XL, 2X, 3X

## D. NSA Aluminized Bib Apron

- 16 oz Aluminized Acrsilyl material
- Features leather strap with side snap
- Passed ASTM F955 Molten Metal Performance at 2800° F

Part Number	Description	Size
N33A02AS24X36	16 oz Aluminized Acrsilyl Bib Apron	24" x 36"
N33A02AS24X48	16 oz Aluminized Acrsilyl Bib Apron	24" x 48"

## E. NSA Standard Aluminized Leggings and Spats

- 19 oz Aluminized Thermobest™ material. Thermobest™ is a woven, medium weight aramid fiber blend over a fiberglass core
- Features hook and loop closure along length of back

Part Number	Description	Size/Diameter
N33L05TATAVCXXLG	Thermobest™ Leggings	Large/22"
N33L05TATAVCXXXL	Thermobest™ Leggings	XLarge/24"
N33L09TATAVCXXLG	Thermobest™ Spats	Large/22"

## F. NSA Aluminized Fitted Hood

- 19 oz Aluminized Thermobest™ material
- Gold film cover for radiant heat protection, heavy-duty metal faceshield frame and ratchet headgear included

Part Number	Description
1 N33H58TARG	Thermobest™ Fitted Hood

**A** RAD64055162



**B** TIL6900



**C** N33C17ASLG50



**D**



N33A02AS24X36

**E**



N33L05TATAVCXXLG

**F**



N33H58TARG



**WARNING 1:** Cancer and Reproductive Harm –  
www.P65Warnings.ca.gov





## A. EXCEL FR® Classic Coverall

- EXCEL FR® flame-resistant, 9 oz twill, 100% cotton
- Features: Two-way concealed Nomex® taped brass break-away zipper with concealed snap at top of zipper at neck. One-piece, topstitched, lay-flat collar. Hemmed sleeves. Two set-in front pockets, one chest pocket and two patch hip pockets. Side vent openings

- Arc Rating ATPV 11 calories/cm<sup>2</sup>
- NFPA 2112 compliant

Part Number	Description	Color	Length	Size
R30CEC2KHRG	Classic Coverall	Khaki	Regular	38-64
R30CEC2NVRG	Classic Coverall	Navy	Regular	38-64
R30CEC2ORRG	Classic Coverall	Orange	Regular	38-64
R30CEC2RBRG	Classic Coverall	Royal Blue	Regular	38-64

## B. EXCEL FR® ComforTouch® Deluxe Coverall

- EXCEL FR® ComforTouch® flame-resistant 6 oz sateen, 88% cotton/12% nylon
- Features: Two-way concealed Nomex® taped brass break-away zipper with concealed snap at top of zipper at neck. One-piece, topstitched, lay-flat collar. Concealed snap closure on cuffs. Elastic waist inserts. Two angled chest pockets with concealed flap zipper closures, two front swing side pockets, two patch hip pockets with concealed snap closure, left sleeve tool pocket, rule pocket. Deep-pleated action back. Side vent openings with snap closures
- Arc Rating ATPV 8.7 calories/cm<sup>2</sup>
- NFPA 2112 compliant

Part Number	Description	Color	Length	Size
R30CLD4KHRG	Deluxe Coverall	Khaki	Regular	38-58
R30CLD4NVRG	Deluxe Coverall	Navy	Regular	38-58
R30CLD4GYRG	Deluxe Coverall	Gray	Regular	38-58

**A** R30CEC2NVRG



**B** R30CLD4NVRG



## C. EXCEL FR® Pre-Washed Denim Dungarees

- EXCEL FR® flame-resistant 14.75 oz 100% pre-washed cotton denim
- Features: One-piece waistband with concealed button closure. Two deep scoop pockets, two oversized reinforced hip pockets, rule pocket on right leg with wrap-around cellphone pocket, hammer loop on left leg, utility loop on back under waistband. Triple-needle felled out-seam
- Loose fit sits just below the natural waist and has a loose seat and thigh with a wider leg opening
- Arc Rating ATPV 21 calories/cm<sup>2</sup>
- NFPA 2112 compliant (Blue Denim Only)

Part Number	Description	Color	Waist (Even)	Inseam
R30PEJ8SW	Dungaree	Stone-Wash	30-46	30, 32, 34
R30PEJ8DW	Dungaree	Blue Denim	30-46	30, 32, 34

## D. EXCEL FR® Welding Work Shirt with Tuffweld® Lined Sleeves

- EXCEL FR® flame-resistant, 7.0 oz 100% cotton shirt; Tuffweld® flame-resistant, 8.5 oz 60% FR rayon/40% aramid sleeve lining
- Features: Two-piece lined collar with gripper to secure collar in upright position. One-piece lined cuffs with protective insert and snap closure. Square hemmed front with snap closure, two patch pockets with snap closure and pencil insert. Sleeve soap stone holder
- Silver grey color
- Arc Rating ATPV 7.7 calories/cm<sup>2</sup>
- NFPA 2112 compliant

Part Number	Description
R30SWW2SYRG*	Welding Work Shirt

\*To complete part Number, insert size M, L, XL, XXL, 3XL

**C**



R30PEJ8SW



R30SWW2SYRGL

R30PEJ8DW



# Flame-Resistant/Arc Flash Apparel and Accessories



**A** STNNX4681



**C**  
STNFRC681

## A. Stanco 4.5 oz DuPont™ Nomex® IIIA Flame-Resistant Coveralls

- Inherently flame-resistant for the life of the garment
- Elastic waistband, full action back, two chest pockets, two rear pockets, two side pockets with pass-thrus, one tool pocket and two-way front zipper closure
- Available in navy blue (NB), orange (OR), royal blue (RB), or tan (TN)

Part Number	Description	Color	Size	Length
STNNX4681	Coveralls	NB, OR, RB, TN	Med-4XLarge	Regular

## B. Stanco 9 oz INDURA® Flame-Resistant Coveralls (not shown)

- 100% cotton coverall contains flame-resistant properties guaranteed for the life of the garment if proper laundering instructions are followed
- Elastic waistband, full action back, two chest pockets, two rear pockets, two side pockets with pass-thrus, one tool pocket and two-way front zipper closure
- Meets NFPA 70E, hazard risk category 2 with an arc rating of 11.5cal/cm<sup>2</sup>
- Available in navy blue (NB), orange (OR), royal blue (RB), or tan (TN)

Part Number	Description	Color	Size	Length
STNFRI681	Coveralls	NB, OR, RB, TN	Med-4XLarge	Regular

## C. Stanco 7.5 oz NFPA 2112 Dual-Hazard Coverall

- 100% cotton lightweight coverall contains flame-resistant properties guaranteed for up to 100 laundering cycles if proper laundering instructions are followed
- Available in navy blue (NB) or tan (TN)
- Elastic waistband, full action back, two chest pockets, two rear pockets, two side pockets with pass-thrus, one tool pocket and two-way front zipper closure
- Meets NFPA 70E, hazard risk category 2 with an arc rating of 8.0 cal/cm<sup>2</sup>
- UL® Certified to meet the requirements of NFPA 2112

Part Number	Description	Color	Size	Length
STNFRC681	Coveralls	NB, TN	Med-5XLarge	Regular



**NATIONAL  
SAFETY APPAREL®**

## D. NSA Balacava Knitted Hoods | High Heat

- Designed to protect the head and neck in moderately high heat environments while offering more flexibility and visibility than aluminized hoods
- The Nomex® and PBI/Rayon FR balacavas have two layers in the head area and a one layer bib
- The Carbon Armour™ FR balacava is a single layer garment

Part Number	Description
N33H31NK	Nomex® Balacava Hood
N33H31PK	PBI/Rayon Balacava Hood
N33H18CX	Carbon Armour™ FR Balacava Hood



N33H31NK

N33H31PK

N33H18CX





**NATIONAL  
SAFETY APPAREL®**

## A. 12 Cal PureView™ Faceshields | CAT 2

- Highly transparent clear shield for clearer vision and better color recognition
- Low profile chin cup and lightweight design
- Anti-fog/scratch resistant coating
- Adjustable lift front design
- Meets NFPA 70E, CSA Z462, ANSI Z87.1, and OSHA 1910.269

Part Number	Description
N33H12HT	Faceshield with Slotted Adapter
N33H12HTU	Faceshield with Universal Adapter
N33H12HTFB	Faceshield with Full Brim Adapter
N33H12HTHAT	Faceshield with Hard Hat (shown)
N33KITHP12PV	Faceshield Kit Includes: Hard Hat, Balaclava, Safety Glasses and Bag

## B. Arc Rated Balaclava Hoods

- Provides extra protection for the head and neck and complies with NFPA 70E Hazard/Risk Category 2
- Single layer UltraSoft® hood features the comfort of cotton and has an arc rating of 12 cal/cm<sup>2</sup>
- Double layer Nomex® Modacrylic Hood has an arc rating of 16 cal/cm<sup>2</sup>
- Meets NFPA 70E, ASTM 1506-10a and OSHA 29 CFR 1910.269 Standards

Part Number	Description	Color
N33H11RY	Ultra Soft® Balaclava Hood	Navy
N33H61MH	Modacrylic Nomex® Balaclava Hood	Cream

### A N33H12HTHAT



### B N33H11RY



N33H61MH

## C. 12 Cal ArcGuard® Arc Flash Kit | CAT 2

- Contains almost everything you need for personal protection for NFPA 70E Hazard/Risk Category 2 in one convenient package
- Kit includes: 12 cal UltraSoft® coverall, 12 cal faceshield with hard hat, 12 cal UltraSoft balaclava, safety glasses, faceshield storage bag and gear bag for easy storage of the kit
- PureView™ faceshield improves vision and eliminates color distortion
- Lift front hood design complies with ASTM F2178 and is ANSI Z87.1 approved
- Meets NFPA 70E, CAS Z462, ASTM 1506 and OSHA 1910.269

Part Number	Description	Color	Size
N33KIT2CV11NGBMDPV	Arc Flash Kit	Navy	MD
N33KIT2CV11NGBLGPV	Arc Flash Kit	Navy	LG
N33KIT2CV11NGBXLPV	Arc Flash Kit	Navy	XL
N33KIT2CV11NGB2XPV	Arc Flash Kit	Navy	2X

\* ArcGuard™ Level 2 Kits are also available with Voltage Protection Gloves. Call your representative for more information.

### C N33KIT2CV11NGBLGPV







**NATIONAL  
SAFETY APPAREL®**

## A. 40 Cal ArcGuard® Compliance™ Arc Flash Kit | CAT 4

- Contains almost everything you need for personal protection for NFPA 70E Hazard/Risk Category 4 in one convenient package
- Kit includes: FR short coat, bib overalls, lift front hood and hard hat, hood storage bag, safety glasses and gear bag for easy storage
- PureView™ lens improves vision and eliminates color distortion
- Lift front hood complies with ASTM F2178 and is ANSI Z87.1 rated
- Hood, coat and bibs are made from Westex UltraSoft material
- Meets NFPA 70E, CSA Z462, ASTM 1506 and OSHA 29 CFR 1910.269

Part Number	Description	Color	Size
N33KIT4SC40NGLFMD	Arc Flash Kit	Navy	MD
N33KIT4SC40NGLFLG	Arc Flash Kit	Navy	LG
N33KIT4SC40NGLFXL	Arc Flash Kit	Navy	XL
N33KIT4SC40NGLF2X	Arc Flash Kit	Navy	2X

\* ArcGuard Compliance Level 4 Kits are also available with Voltage Protection Gloves. Call your representative for more information.

### A N33KIT4SC40NGLFLG



**Honeywell**  
**SALISBURY**

## B. PRO-WEAR® 40 cal/cm² Arc Flash Lift Front Hood and Premium Lightweight Lift Front Hood with PrismShield™

- Shield and chin guard offer an additional 45 degrees of vertical view over standard hoods
- Contoured lens extends range of peripheral vision giving greater outward visibility and more access to natural light
- Contains 60% less fabric weight than standard hoods making it lighter and more comfortable
- Design creates a natural ventilation system beneath the brim of hard hat
- Honeywell Salisbury PrismShield™ full color recognition lens option provides full color visibility – no more color distortion

### B W43LFH40PLT-SPL



Part Number	Description
W43LFH40	Lift Front Hood
W43LFH40PLT-SPL	Premium Light Weight Arc Flash Rated Hood with PrismShield™
LFH40-LENS-SPL	Replacement Lens

## C. AS1200 Universal Fit Arc Flash Protective Faceshield 12 Cal/cm²

- Stows centered over the top of the hard cap
- Provides a clearer, more transparent window for improved visibility
- Faceshield absorbs > 99.9% of harmful UV radiation
- 7.5" x 20" viewing area with extra light tint is resistant to fogging
- Meets current ANSI Z87.1 and is CSA standard compliant; Tested to ASTM F2178 specifications

Part Number	Description
W43AS1200-SPL	Faceshield Unit
W43AS1200HAT-SPL	Faceshield with Front Brim Hard Cap
W43AS1200FS-SPL	Replacement Faceshield



W43AS1200-SPL

W43AS1200HAT-SPL





## A. AS1000 Series Arc Flash Protective Faceshields and Accessories

- 10 cal/cm<sup>2</sup> ATPV rating when used with ASCP chin cup
- 8 cal/cm<sup>2</sup> ATPV rating without ASCP chin cup
- Faceshield absorbs > 99.9% of harmful UV radiation
- 7.5" x 20" viewing area with extra light tint is resistant to fogging
- Tested to ASTM F2178 specifications

Part Number	Description
W43AS1000	Protective Faceshield with ASCP Chin Cup and ASSLB Slotted Bracket
W43AS1000HAT	AS1000 with Front Brim Hard Hat
W43AS1000FS	AS1000 Series Replacement Faceshield
W43ASSLB	Dielectric Slotted Bracket for Front Brim Hard Hat
W43ASCP	Replacement Chin Cup for AS1000FS Protective Faceshield
W43ASBAG	Cotton Canvas Storage Bag for Protective Faceshield

## B. Basic Electrician Tool Roll

- Tested to 10,000 VAC and rated for daily 1,000 VAC live line use
- Insulation on tools is impact resistant and flame retardant
- TK9 Kit Includes: slotted screwdrivers 3/16 x 4", 3/16 x 6", 1/4 x 6", phillips screwdrivers #1 x 3", #2 x 4", 7" needle nose pliers, 7 1/2" diagonal cutting pliers, 9" linesman pliers and combination stripper/crimper pliers
- Exceeds ASTM 1505 Standards and meets OSHA 1910.333(c)(2) Standard

Part Number	Description
W43TK9	9-Piece Basic Electrician Roll Kit

## C. Insulated Rescue Hook

- Used to pull a victim from hazardous area
- Confined spaces, in vaults, or near electrical cabinets and switch gear are some of the places where this tool is a must
- Foam filled reinforced handle provides superior electrical insulation
- Coated heat treated body hook has an 18" opening
- Made in accordance with ASTM F711

Part Number	Description	Length
W4324401	Insulated Rescue Hook	6'
W4324403	Insulated Rescue Hook	8'

**A** W43AS1000



W43AS1000FS



**B** W43TK9



**C** W4324403



Head and Face Protection

Hearing Protection

Respiratory Protection

Instrumentation

Fall Protection  
Confined Spaces

Hand Protection

Protective Workwear

First Aid Products

Spill Control & Containment

Facility Supplies

Flammable Storage





## Finding DuPont protective apparel just got easier.

We've simplified our product identification system by replacing the original product names with an easy-to-follow numeric system. The higher the number, the higher the level of protection – it's that simple.

### Patch Shape

The first thing you'll notice is the shape of the patch. All garment patches are in the shape of a stop sign. However, each brand is designated by its own unique color. DuPont™ ProShield® is gray, DuPont™ Tyvek® is blue and DuPont™ Tychem® is orange.

### Product Identification Number

The number within the patch indicates the garment's level of protection. The higher the number, the greater the protection.

Original	New
Tychem® TK	Tychem® 10000
Tychem® BR	Tychem® 9000
Tychem® ThermoPro	Tychem® 6000 FR
Tychem® CPF 3	Tychem® 5000
Tychem® SL	Tychem® 4000
Tychem® QC	Tychem® 2000
Tyvek®	Tyvek® 400
Tyvek® Dual	Tyvek® 400 D
ProShield® NexGen®	ProShield® 60
ProShield® Basic	ProShield® 10
DuPont™ TempPro®	ProShield® 6 SFR

D = Dual FR = Flame Resistant SFR = Secondary Flame Resistant

Copyright © 2019 DuPont. All rights reserved. The DuPont Oval Logo, DuPont™, ProShield®, SafeSPEC™, Tychem® and Tyvek® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company or its affiliates. (08/19)

## A. DuPont™ ProShield® 10 Coveralls

- Comfort, quality and value come together
- Soft, breathable and lightweight, DuPont™ ProShield® 10 garments feature a DuPont™ comfort fit design that is specially engineered for enhanced worker range of motion and durability
- Protects from dirt, grime and non-hazardous dry particles

Part Number	Description	Size
<b>Coveralls, Zip Front, Storm Flap</b>		
DPPPB120SWHMD00	ProShield® 10 White Coverall	Medium
DPPPB120SWHLG00	ProShield® 10 White Coverall	Large
DPPPB120SWHXL00	ProShield® 10 White Coverall	XLarge
DPPPB120SWH2X00	ProShield® 10 White Coverall	2XLarge
DPPPB120SWH3X00	ProShield® 10 White Coverall	3XLarge
DPPPB120SWH4X00	ProShield® 10 White Coverall	4XLarge
DPPPB120SWH5X00	ProShield® 10 White Coverall	5XLarge

<b>Coverall, Zip Front, Hood and Boot, Elastic Wrist and Ankle</b>		
DPPPB122SWHMD00	ProShield® 10 White Coverall	Medium
DPPPB122SWHLG00	ProShield® 10 White Coverall	Large
DPPPB122SWHXL00	ProShield® 10 White Coverall	XLarge
DPPPB122SWH2X00	ProShield® 10 White Coverall	2XLarge
DPPPB122SWH3X00	ProShield® 10 White Coverall	3XLarge
DPPPB122SWH4X00	ProShield® 10 White Coverall	4XLarge

<b>Coverall, Zip Front, Storm Flap, Elastic Wrist and Ankle</b>		
DPPPB125SWHMD00	ProShield® 10 White Coverall	Medium
DPPPB125SWHLG00	ProShield® 10 White Coverall	Large
DPPPB125SWHXL00	ProShield® 10 White Coverall	XLarge
DPPPB125SWH2X00	ProShield® 10 White Coverall	2XLarge
DPPPB125SWH3X00	ProShield® 10 White Coverall	3XLarge
DPPPB125SWH4X00	ProShield® 10 White Coverall	4XLarge
DPPPB125SWH5X00	ProShield® 10 White Coverall	5XLarge

<b>Coverall, Zip Front, Storm Flap, Respirator Fit Hood, Elastic Wrist and Ankle</b>		
DPPPB127SWHMD00	ProShield® 10 White Coverall	Medium
DPPPB127SWHLG00	ProShield® 10 White Coverall	Large
DPPPB127SWHXL00	ProShield® 10 White Coverall	XLarge
DPPPB127SWH2X00	ProShield® 10 White Coverall	2XLarge
DPPPB127SWH3X00	ProShield® 10 White Coverall	3XLarge
DPPPB127SWH4X00	ProShield® 10 White Coverall	4XLarge
DPPPB127SWH5X00	ProShield® 10 White Coverall	5XLarge



DPPPB125SWHXL00

DPPPB127SWHXL00



# Disposable Chemical-Resistant Apparel



**ProShield® 60**

## A. DuPont™ ProShield® 60 Coveralls

- Effective barrier against a variety of common industrial aerosols and liquids
- Fabric is especially suited for non-toxic liquid and spray hazards
- Attached skid-resistant booties can be worn over work footwear
- Exceed ANSI/ISEA 101-1996 sizing standard

Part Number	Description	Size
<b>Coverall, Standard (Zip front, open-end sleeves and ankles)</b>		
DPPNG120SWHMD00	ProShield® 60 Coverall	Medium
DPPNG120SWHLG00	ProShield® 60 Coverall	Large
DPPNG120SWHXL00	ProShield® 60 Coverall	XLarge
DPPNG120SWH2X00	ProShield® 60 Coverall	2XLarge
DPPNG120SWH3X00	ProShield® 60 Coverall	3XLarge
DPPNG120SWH4X00	ProShield® 60 Coverall	4XLarge
DPPNG120SWH5X00	ProShield® 60 Coverall	5XLarge
DPPNG120SWH6X00	ProShield® 60 Coverall	6XLarge

<b>Coverall, Elastic (Zip front, elastic-end sleeves and ankles)</b>		
DPPNG125SWHMD00	ProShield® 60 Coverall	Medium
DPPNG125SWHLG00	ProShield® 60 Coverall	Large
DPPNG125SWHXL00	ProShield® 60 Coverall	XLarge
DPPNG125SWH2X00	ProShield® 60 Coverall	2XLarge
DPPNG125SWH3X00	ProShield® 60 Coverall	3XLarge
DPPNG125SWH4X00	ProShield® 60 Coverall	4XLarge
DPPNG125SWH5X00	ProShield® 60 Coverall	5XLarge

<b>Coverall, Hood and Boot (Zip front, elastic-end sleeves and ankles, attached hood and boots)</b>		
DPPNG122SWHMD00	ProShield® 60 Coverall	Medium
DPPNG122SWHLG00	ProShield® 60 Coverall	Large
DPPNG122SWHXL00	ProShield® 60 Coverall	XLarge
DPPNG122SWH2X00	ProShield® 60 Coverall	2XLarge
DPPNG122SWH3X00	ProShield® 60 Coverall	3XLarge
DPPNG122SWH4X00	ProShield® 60 Coverall	4XLarge
DPPNG122SWH5X00	ProShield® 60 Coverall	5XLarge
DPPNG122SWH6X00	ProShield® 60 Coverall	6XLarge

**A**

**DPPNG125SWHLG00**



**DPPNG120SWHLG00**

**DPPNG122SWHLG00**



**Tyvek® 400 D**

## B. DuPont™ Tyvek® 400 D Coveralls

- Combines the protection, durability and comfort of DuPont™ Tyvek® fabric on the front and the comfort, softness and breathability of DuPont™ ProShield® fabric on the back
- Suitable for applications with limited protective requirements for frontal exposures
- Thumb loop to keep garment sleeve in place
- Elastic opening for tighter fit at ankle
- Respirator fit hood with elastic around face opening is designed to fit tightly around respirator
- White front, blue back

Part Number	Description	Size
DPPTD125SWBLGCM	Tyvek® 400 D Coveralls	Large
DPPTD125SWBXL00	Tyvek® 400 D Coveralls	XLarge
DPPTD125SWB2X00	Tyvek® 400 D Coveralls	2XLarge
DPPTD125SWB3X00	Tyvek® 400 D Coveralls	3XLarge
DPPTD125SWB4X00	Tyvek® 400 D Coveralls	4XLarge
DPPTD127SWBLGCM	Tyvek® 400 D Coverall with Hood	Large
DPPTD127SWBXL00	Tyvek® 400 D Coverall with Hood	XLarge
DPPTD127SWB2X00	Tyvek® 400 D Coverall with Hood	2XLarge
DPPTD127SWB3X00	Tyvek® 400 D Coverall with Hood	3XLarge
DPPTD127SWB4X00	Tyvek® 400 D Coverall with Hood	4XLarge

**B**

**DPPTD125SWBLGCM**



**DPPTD127SWBLGCM**

## DuPont™ Tyvek®

Made only by DuPont™, it offers superior protection and durability. Tyvek® is 100% high-density polyethylene fibers entangled into a protective material — with no fillers or thin films to wear away.







**Tyvek® 400**

## A. DuPont™ Tyvek® 400 Labcoat

- Long sleeve coat features collar and five snap closure with two pockets

Part Number	Description	Packaged
DPPTY212SWH**00	Labcoat	30/ca

\*\* To complete Part Number, insert size SM, MD, LG, XL, 2X

## B. DuPont™ Tyvek® 400 Shirt and Pants

- Long sleeve shirt features collar and four snap closure
- Pull-on pants are fully cut with elastic waist band

Part Number	Description	Packaged
DPPTY303SWH**00	Shirt	50/ca
DPPTY350SWH**00	Pants	50/ca

\*\* To complete Part Number, insert size MD, LG, XL

## C. DuPont™ Tyvek® 400 Apron

- Tough, tear-resistant DuPont™ Tyvek® 400 helps protect against many non-hazardous particles and light liquid splash

Part Number	Description	Size	Packaged
DPPTY273BWH0000	Apron	28" x 36"	100/ca

## D. DuPont™ Tyvek® 400 Disposable Boot and Shoe Covers

- DuPont™ Tyvek® 400 boot and shoe covers are universal with elastic opening
- Regular or skid resistant styles

Part Number	Description	Size	Packaged
DPPTY454SWH0001	Boot Covers	18"	50 pr/ca
DPPTY450SWH02LG	Shoe Covers	5"	100 pr/ca
DPPFC454SGY0001	Anti-Skid Boot Covers	18"	100 pr/ca
DPPFC450SGY0002	Anti-Skid Shoe Covers	5"	100 pr/ca

**A** DPPTY212SWHLG00



**B** DPPTY303SWHLG00



DPPTY350SWHLG00



**D** DPPFC454SGY0001



DPPFC450SGY0002



**C** DPPTY273BWH0000



Head and Face Protection

Hearing Protection

Respiratory Protection

Instrumentation

Fall Protection

Hand Protection

Protective Workwear

First Aid Products

Spill Control & Containment

Facility Supplies

Flammable Storage



# Disposable Chemical-Resistant Apparel



**Tyvek® 400**

**A**



**DPPTY120SWHLG00**



**DPPTY125SWHLG00**



**DPPTY122SWHLG00**

## A. DuPont™ Tyvek® 400 Coveralls

- DuPont™ Tyvek® 400 provides inherent barrier protection against dry particulate hazards, including mold, lead and asbestos
- Excellent abrasion resistance; protects against small sized hazardous particles
- Elastic sewn into the back at the waist for a more tailored fit
- Reinforcement in the crotch area
- Increased overall roominess in the torso
- Meets ANSI 101-1996 sizing regulations

### Choose from four popular styles:

- **Standard Coveralls:** zipper front with collar, open end sleeves and ankles
- **Coveralls with Elastic:** keep the wrist and ankle openings in place
- **Coveralls with Hood:** zipper front closure, elastic at the wrists and ankles and an attached, elastic hood
- **Coveralls with Hood/Boot:** all of the above features with the addition of attached skid-resistant booties\*

\*Booties must be worn inside protective outer footwear

Part Number	Description	Packaged
DPPTY120SWH**00	Standard Coveralls	25/ca
DPPTY125SWH**00	Coveralls with Elastic	25/ca
DPPTY127SWH**00	Coveralls with Hood/Elastic	25/ca
DPPTY122SWH**00	Coveralls with Hood/Boot	25/ca

\*\* To complete Part Number, insert size MD, LG, XL, 2X, 3X, 4X, 5X





**Tyvek® 800**

## A. DuPont™ Tyvek® 800 J Coveralls

- DuPont™ Tyvek® 800 J Coveralls are made with an innovative fabric technology and enhanced garment design that combine the strength and durability of Tyvek® with additional resistance to light liquid spray (even under pressure)
- Soft, comfortable and lightweight without compromising durability
- Available with serged and over-taped seams that provide the performance of Type 3/4/5/6 garments, which have been tested to standards against pressurized liquids, heavy liquid aerosols and airborne solid particles
- Provides an effective barrier against many water-based inorganic chemicals in low concentration and particles (down to 1.0 micron in size), as well as oil repellency
- Suitable for applications such as industrial and lab cleaning, chemical packaging and redistribution, waste treatment and disposal, environmental remediation and pharma/API handling
- Self-adhesive chin flap for tight seal of suit to the mask
- Elastic face, wrists and ankles as well as glued-in waist elastic
- Elastic thumb loops keep sleeves in place

Part Number	Description	Size
DPPTJ198TWHLG	Tyvek® 800 Coverall	Large
DPPTJ198TWHXL	Tyvek® 800 Coverall	XLarge
DPPTJ198TWH2X	Tyvek® 800 Coverall	2XLarge
DPPTJ198TWH3X	Tyvek® 800 Coverall	3XLarge

**A**

DPPTJ198TWHLG



**Tyvek® 500 HV**

## B. DuPont™ Tyvek® 500 HV Coveralls

- Collared coverall in fluorescent orange with silver gray retroreflective bands for day and night visibility
- Mandarin collar, elastic wrists and ankles as well as glued-in waist elastic
- Composed of flash spun polyethylene, providing protection, durability and comfort
- Offers excellent barrier against fine particles and fibers, ultra-low linting and antistatically treated on the inside
- Chemical protective clothing, Category III, Type 5-B and 6-B

Part Number	Description	Size
DPPTTY125SHVLG	Tyvek® 500 HV Coverall	Large
DPPTTY125SHVXL	Tyvek® 500 HV Coverall	XLarge
DPPTTY125SHV2X	Tyvek® 500 HV Coverall	2XLarge
DPPTTY125SHV3X	Tyvek® 500 HV Coverall	3XLarge

**B**



DPPTTY125SHVLG

Head and Face Protection

Hearing Protection

Respiratory Protection

Instrumentation

Fall Protection  
Confined Spaces

Hand Protection

Protective Workwear

First Aid Products

Spill Control & Containment

Facility Supplies

Flammable Storage



## Ansell

### A. AlphaTec™ 1500 Series Coveralls

- Protection: filters 100% of particles >3 microns per KAKEN particle penetration test
- Comfort: breathable fabric reduces heat stress risk while improving wearer comfort and safety
- Silicone and latex free, critical in spray painting applications

Part Number	Description	Color
ANEWH15S92100*	Coveralls, Collared	White
ANEWH15S92101*	Coveralls, 3-Piece Hood	White

\*To complete Part Number, insert size 02(S), 03(M), 04(L), 05(XL), 06(2XL), 07(3XL), 08(4XL), 09(5XL)

### B. AlphaTec™ 2000 Series Coveralls

- Protection: barrier to low concentration liquid chemicals, liquid and particulate biological hazards
- Comfort: moisture vapor permeable reduces heat stress
- Anti-static, tested according to EN 1149-5 and AATCC 76
- Low linting reduces the risk of contamination
- Silicone and latex free, critical in spray painting applications

Part Number	Description	Color
ANEWH20B92103*	Coveralls, Collared	White
ANEWH20B92111*	Coveralls, 3-Piece Hood	White

\*To complete Part Number, insert size 02(S), 03(M), 04(L), 05(XL), 06(2XL), 07(3XL), 08(4XL), 09(5XL)

**A** ANEWH15S9210104

**B** ANEWH20B9211104



## RADNOR



**C** RAD64053200

### C. Radnor Pro-2 Coveralls

- Mid-level barrier protection against non-hazardous particle, light liquid splash and aerosols while unabraded
- Lightweight and soft, yet strong, with a laminate film
- Anti-static, low linting material

Part Number	Description	Size
RAD64053200	Pro-2 Standard Coveralls with Zipper Front	Large
RAD64053201	Pro-2 Standard Coveralls with Zipper Front	XLarge
RAD64053202	Pro-2 Standard Coveralls with Zipper Front	2XLarge
RAD64053203	Pro-2 Standard Coveralls with Zipper Front	3XLarge
RAD64053204	Pro-2 Standard Coveralls with Zipper Front	4XLarge
RAD64053270	Pro-2 Coveralls Elastic Wrists and Ankles, Hood	Large
RAD64053271	Pro-2 Coveralls Elastic Wrists and Ankles, Hood	XLarge
RAD64053272	Pro-2 Coveralls Elastic Wrists and Ankles, Hood	2XLarge
RAD64053273	Pro-2 Coveralls Elastic Wrists and Ankles, Hood	3XLarge
RAD64053274	Pro-2 Coveralls Elastic Wrists and Ankles, Hood	4XLarge
RAD64053220	Pro-2 Coveralls Elastic Wrists, Hood and Boots	Large
RAD64053221	Pro-2 Coveralls Elastic Wrists, Hood and Boots	XLarge
RAD64053222	Pro-2 Coveralls Elastic Wrists, Hood and Boots	2XLarge
RAD64053223	Pro-2 Coveralls Elastic Wrists, Hood and Boots	3XLarge
RAD64053224	Pro-2 Coveralls Elastic Wrists, Hood and Boots	4XLarge



### A. Radnor® Spunbond Polypropylene Coveralls

- Soft, breathable 100% polypropylene non-linting material
- Choose from two zippered styles in white or blue: open wrist/ankle and collar or elastic wrists/ankles with attached hood and boot
- Material will not flare, but will melt if exposed to open flame or high temperature substances
- Rot and mildew resistant, doesn't support bacterial growth, non-allergenic
- Cost effective dry particulate barrier
- Sold individually and packaged 25 per case

Part Number	Description	Color	Size
RAD64055202	Standard Coveralls	White	Large
RAD64055203	Standard Coveralls	White	XLarge
RAD64055204	Standard Coveralls	White	2XLarge
RAD64055205	Standard Coveralls	White	3XLarge
RAD64055211	Standard Coveralls	Blue	Large
RAD64055212	Standard Coveralls	Blue	XLarge
RAD64055213	Standard Coveralls	Blue	2XLarge
RAD64055214	Standard Coveralls	Blue	3XLarge
RAD64055220	Coveralls with Hood/Boot	White	Large
RAD64055221	Coveralls with Hood/Boot	White	XLarge
RAD64055222	Coveralls with Hood/Boot	White	2XLarge
RAD64055223	Coveralls with Hood/Boot	White	3XLarge
RAD64055230	Coveralls with Hood/Boot	Blue	Large
RAD64055231	Coveralls with Hood/Boot	Blue	XLarge
RAD64055232	Coveralls with Hood/Boot	Blue	2XLarge
RAD64055233	Coveralls with Hood/Boot	Blue	3XLarge

### B. Radnor® Spunbond Polypropylene Lab Coat

- Soft, breathable 100% polypropylene white material
- Features a collar, chest and hip pockets, and 4-snap front closure
- Non-linting and provides cost effective dry particulate barrier
- Material will not flare, but will melt if exposed to open flame or high temperature substances
- Rot and mildew resistant, doesn't support bacterial growth, non-allergenic
- Sold individually and packaged 30 per case

Part Number	Description	Color	Size
RAD64055238	Lab Coat	White	Medium
RAD64055239	Lab Coat	White	Large
RAD64055240	Lab Coat	White	XLarge
RAD64055241	Lab Coat	White	2XLarge

### C. Radnor® Spunbond Polypropylene and PE-Coated Sleeves

- Non-linting and provides cost effective dry particulate barrier
- PE (polyethylene) coated polypropylene sleeves provide limited liquid holdout
- Sold per pair and packaged 100 pair per case

Part Number	Description	Packaged
RAD64055477	18" Polypropylene Sleeves	100 pr/ca
RAD64055478	18" PE-Coated Polypropylene Sleeves	100 pr/ca

### D. Radnor® Non-Skid Polypropylene Shoe Covers

- Elastic closure
- One size fits most; 50 pair per box, sold per box

Part Number	Description	Color	Packaged
RAD64055473	Non-Skid Shoe Covers	Blue	50 pr/box



**B** RAD64055239

### E. Radnor® Spunbond Polypropylene Apron (not shown)

- Heavyweight spunbond polypropylene offers protection against dry particulates
- Built-in ties to adjust to most sizes
- Sold individually and packaged 100 each per case

Part Number	Description	Color
RAD64055475	Apron 28" x 36"	White



**C** RAD64055478



**D** RAD64055473



### F. Allegro® Spray Sock

- Protection against paint overspray
- Breathable and cool, it fits over the head and can be worn with goggles, half mask or full mask respirators
- Sold individually




**F** ALE1410

Part Number	Description	Size
ALE1410	Spray Sock	Universal



# Chemical-Resistant Apparel



## A. DuPont™ Tychem® 2000 Coveralls

- Comfortable, durable and lightweight polyethylene-coated DuPont™ Tyvek® provides light liquid splash protection
- Coveralls feature serged seam construction for basic protection against dry particulates and light mist
- **Standard Coveralls:** zipper front with collar, open end sleeves and ankles
- **Coveralls with Elastic:** helps restrict moisture and contaminants with elastic at the wrists and ankles — also includes a zipper front
- **Coveralls with Hood:** zipper front, elastic at the wrists and ankles, and an attached hood with elastic around the face
- **Coveralls with Hood/Boot:** zipper front, elastic wrists, attached hood with elastic, and attached booties\*

\*Booties must be worn inside protective outer footwear

Part Number	Description	Packaged
DPPQC120SYL**00	Standard Coveralls	12/ca
DPPQC125SYL**00	Coveralls with Elastic	12/ca
DPPQC127SYL**00	Coveralls with Hood/Elastic	12/ca
DPPQC122SYL**00	Coveralls with Hood/Sock	12/ca

\*\* To complete Part Number, insert size LG, XL, 2X, 3X



DPPQC120SYLLG00



DPPQC125SYLLG00



DPPQC127SYLLG00



DPPSL127BWHLG00



DPPSL122BWHLG00



DPPQC122SYLLG00



## B. DuPont™ Tychem® 4000 Coveralls

- Bound construction seams provide effective barrier protection from hazardous liquids, toxic chemicals and particles
- Rugged and durable for environments where abrasion is an issue
- **Coveralls with Hood/Elastic:** elastic at the wrists and ankles
- **Coveralls with Hood/Boot:** elastic wrists, attached hood with elastic and attached booties\*

\*Booties must be worn inside protective outer footwear

Part Number	Description	Packaged
DPPSL127BWH**00	Coveralls with Hood/Elastic	12/ca
DPPSL122BWH**00	Coveralls with Hood/Boot	12/ca

\*\* To complete Part Number, insert size LG, XL, 2X, 3X





## ProShield® 6 SFR

### A. DuPont™ ProShield® 6 SFR Coveralls

- Designed to protect and preserve primary flame-resistant garments
- Intended to be worn over primary flame-resistant garments to provide a barrier against non-hazardous particles and aerosols
- Excellent choice as a cost-efficient cover to protect reusable flame-resistant garments
- Applications include: steel mills, coal mines, maintenance work, refineries, laboratories and utilities

Part Number	Description	Packaged
<b>Coverall, Collar, Open Wrists and Ankles, Serged Seams</b>		
DPPTM120SBU**00	Coverall	25/ca
<b>Standard Fit Hood, Elastic Wrists and Ankles, Serged Seams</b>		
DPPTM127SBU**00	Coverall	25/ca

\*\* To complete Part Number, insert size LG, XL, 2X, 3X

A

DPPTM120SBULG00



DPPTM127SBULG00



## Tychem® 5000

### B. DuPont™ Tychem® 5000 Coveralls

- Fabric is comprised of a multi-layer film barrier laminated to a durable 2.0 oz/yd<sup>2</sup> polypropylene substrate
- Strong and durable for rigorous activities and rugged situations involving liquid splash and provides barrier to a broad range of chemicals
- Typical applications: chemical handling, petro-chemical, hazardous materials/waste clean-up, fire departments, industrial hazmat teams, utilities and domestic preparedness

Part Number	Description	Packaged
DPPC3122TTN**00	Coverall with Hood/Sock	6/ca
DPPC3127TTN**00	Coverall with Hood/Elastic	6/ca

\*\* To complete Part Number, insert size LG, XL, 2X, 3X

B



DPPC3122TTNLG00

C



DPPBR128TYLLG00



## Tychem® 9000

### C. DuPont™ Tychem® 9000 Coveralls

- Offers wide-ranging protection backed by extensive fabric permeation barrier testing
- Fabric provides at least 30 minutes of protection against 282 chemical challenges, including chemical warfare agents
- Tear, puncture and abrasion resistant fabric for lasting protection
- Designed for enhanced comfort and ease of movement
- High visibility yellow
- Respirator fit hood, elastic wrists, attached socks with outer boot flaps, storm flap with adhesive closure and taped seams

Part Number	Description	Packaged
DPPBR128TYL**00	Coverall	2/ca

\*\* To complete Part Number, insert size LG, XL, 2X, 3X

Head and Face Protection

Hearing Protection

Respiratory Protection

Instrumentation

Fall Protection  
Confined Spaces

Hand Protection

Protective Workwear

First Aid Products

Spill Control & Containment

Facility Supplies

Flammable Storage



# Flame-Resistant Apparel



## A. DuPont™ Tychem® 6000 FR Coveralls and Aprons

- Patented combination of Tychem® chemical barrier and DuPont™ Nomex® thermal protection provides flash fire and liquid splash protection in a single-layer garment
- Constructed for heavy use, yet lightweight and easy to wear
- Suitable for HazMat response as well as industrial and domestic preparedness situations where flash fire is likely to occur
- Features include attached hood, taped seams, double storm flaps with hook and loop closure, elastic wrists, attached socks and outer boot flaps
- Meets NFPA 1992 and 2112 Standards (coveralls only)
- Meets Hazard Risk Category 2 requirements of OSHA NFPA 70E Standard

Part Number	Description	Color	Packaged
DPPTP199TOR**00	Coveralls with Hood/Socks	Orange	2/ca
DPPTP275TGY0400	Apron	Gray	4/ca
DPPTP275TOR0400	Apron	Orange	4/ca

\*\* To complete Part Number, insert size MD, LG, XL, 2X

A

DPPTP199TORLG00



DPPTP275TOR0400



## B. DuPont™ Tychem® 10000 Fully Encapsulated Level A Protective Suit

- Single layer garment that provides triple hazard protection from liquid chemical splash, flash fire and electric arc
- Offers our highest level of personal protection for responding to chemical hazards
- Excellent protection from highly toxic, corrosive chemicals, whether liquid, vapor or gas
- Successfully tested to provide at least 30 minutes of protection against 322 chemical challenges
- Features double-taped seams, multi-layered PVC/Teflon® face shield (PVC 40 mil/Teflon® 5 mil/PVC 20 mil) and a dual glove system (attached internal Barrier® gloves with attached outer butyl gloves)
- Gas tight zipper closure, double storm flap over zipper, attached socks, outer boot flaps, knee wear pads, two exhaust valves and internal adjustable belt
- Suit has rear entry with expanded back to accommodate SCBA
- Attached socks: the attached socks must be worn inside protective outer footwear
- Certified compliant to ASTM F1052
- Includes free carrying case

Part Number	Description	Size
DPPTK555TLYLG00	Suit with Expanded Faceshield	Large
DPPTK555TLYXL00	Suit with Expanded Faceshield	XLarge

B



DPPTK555TLYLG00



# RADNOR


## A. Radnor® White Polypropylene Bouffant Caps and Beard Restraints

- Sanitary hair covers are ideal for food processing, electronic and pharmaceutical manufacturing, or general industry
- Beard restraints stay secure with elastic band
- Meets FFDC requirements for food contact

Part Number	Description	Packaged
RAD64055407	19" Bouffant Caps	100/bg
RAD64055408	21" Bouffant Caps	100/bg
RAD64055409	24" Bouffant Caps	100/bg
RAD64055410	Beard Restraints	100/bg

A

RAD64055408



RAD64055410



## B. Radnor® Polyester Mesh Hairnets and Beard Restraints

- Comparable quality to nylon hairnets without added cost
- Choose white or brown hairnets
- Beard restraints stay secure with elastic band
- Meets FFDC requirements for food contact

Part Number	Description	Color	Packaged
RAD64055460	18" Mesh Hairnets	White	100/bg
RAD64055461	21" Mesh Hairnets	White	100/bg
RAD64055462	24" Mesh Hairnets	White	100/bg
RAD64055466	18" Mesh Hairnets	Brown	100/bg
RAD64055467	21" Mesh Hairnets	Brown	100/bg
RAD64055468	24" Mesh Hairnets	Brown	100/bg
RAD64055472	Mesh Beard Restraint	White	100/bg

B

RAD64055461



RAD64055466



RAD64055472

## C. Radnor® Polyethylene Aprons

- Lightweight disposable aprons
- Ideal for food processing plants and restaurants
- Complies with FDA regulations for food contact

Part Number	Description	Size	Packaged
RAD64056549	1.5 mil Embossed	28" x 46"	100/bx
RAD64056550	1.5 mil Embossed	28" x 55"	100/bx

C

RAD64056549



D

ANE54-290-28X45



# Ansell

## D. AlphaTec® 54-240 Polyethylene Aprons

- Packaged in a dispenser box for easy, one-at-a-time removal
- High-quality virgin material combines flexibility and resistance to light chemicals, fats and oils
- Complies with FDA regulations for food contact

Part Number	Description	Size	Packaged
ANE54-290-28X45	1.75 mil Embossed	28" x 45"	100/bx





Head and Face Protection

Hearing Protection

Respiratory Protection

Instrumentation

Fall Protection  
Confined Space

Hand Protection

Protective Workwear

First Aid Products

Spill Control & Containment

Facility Supplies

Flammable Storage

## A. AlphaTec® 56-910 PVC Coat Aprons

- 8 mil thickness provides medium to heavy-duty splash protection
- Ideal for food processing, laboratory, electronics, medical, pharmaceutical and chemical processing applications
- Dielectrically welded seams eliminate contaminant traps and permits cleaning to Class 100 standards
- No exposed elastic or metal parts to corrode or create static

Part Number	Description	Color
ANE56-910-*	8 mil PVC Coat Apron	Blue

\* To complete Part Number, insert size M, L, XL, 2X

## B. AlphaTec® 56-100 PVC Aprons

- Excellent for food handling and preparation as well as industrial maintenance and chemical processing
- Heavy-duty 18 mil PVC for superior splash protection
- Provides resistance to chemicals, fats, oils, grease, punctures and abrasions
- Stomach patch provides extended wear
- Features include 48" ties and sealed grommets for a durable and adjustable fit

Part Number	Description	Color	Size
<b>Without Stomach Patch</b>			
ANE56-101-33X44	18 mil PVC Apron	White	33" x 44"
ANE56-100-33X44	18 mil PVC Apron	Green	33" x 44"
ANE56-100-33X49	18 mil PVC Apron	Green	33" x 49"
<b>With Stomach Patch</b>			
ANE56-102-33X44	18 mil PVC Apron	Green	33" x 44"
ANE56-102-33X49	18 mil PVC Apron	Green	33" x 49"

## C. AlphaTec® 56-510 PVC Aprons

- Withstands deteriorating effects of animal fats and greases
- Ideal for meat packing and food processing applications
- A heavyweight apron made of tough nitrile on poly/cotton backing
- Component materials comply with FDA regulations for food contact

Part Number	Description	Color
ANE56-512-35X45	17-19 mil Sewn Edge Apron	Black
ANE56-510-35X45	17-19 mil Sewn Edge Apron	Yellow

## D. AlphaTec® 56-001, 56-009 and 56-015 PVC Aprons

- Provides superior flexibility and resistance to chemicals, fats, oils, grease, punctures and abrasion
- Perfect for food handling and preparation, industrial maintenance and chemical processing
- Die cut styles offer lower cost and easy cleaning while sewn edge offers a neat professional appearance
- 3-piece, 28" ties (56-001 and 56-009) or integral head opening and ties (56-015)

Part Number	Description	Color	Size	Packaged
ANE56-015-33X44	Die Cut 5-6 mil Apron	Blue	33" x 44"	72/ca
ANE56-009-33X44	Die Cut 5-6 mil Apron	Blue	33" x 44"	72/ca
ANE56-009-33X54	Die Cut 5-6 mil Apron	Blue	33" x 54"	72/ca
ANE56-001-33X44	Sewn Edge 7-8 mil Apron	Blue	33" x 44"	72/ca
ANE56-001-33X54	Sewn Edge 7-8 mil Apron	Blue	33" x 54"	72/ca

**A** ANE56-910-L



**B** ANE56-102-33X49



**C** ANE56-512-35X45



**D** ANE56-001-33X44





## A. AlphaTec® 56-800 Enduro2000™ Aprons

- Enduro2000™ polyurethane outperforms vinyl, nitrile and neoprene
- Long-wearing strength with exceptional resistance to abrasion, chemicals and deterioration from oils and fats
- Soft, easy to clean, comfortable and flexible in extreme cold
- Ideal for food processing, medical, clean room, laboratory, photo processing, industrial and chemical applications
- Packaged 24 per case; sold individually

Part Number	Description	Color	Size
ANE56-800-35X45	Die Cut 8-9 mil Apron	White	34" x 45"
ANE56-801-35X45	Die Cut 8-9 mil Apron	Yellow	34" x 45"
ANE56-802-35X45	Die Cut 8-9 mil Apron	Blue	34" x 45"

## B. AlphaTec® 56-600 Urethane Aprons

- Lightweight nylon reinforced urethane apron with 3-piece, 28" ties and sealed grommets
- Apron offers long lasting protection in food processing and industrial applications
- Packaged 48 per case; sold individually

Part Number	Description	Color	Size
ANE56-600-35X48	Sewn Edge 8-9 mil Apron	Yellow	35" x 48"

**A** ANE56-801-35X45



**B** ANE56-600-35X48



## Honeywell

### C. Honeywell Silver Shield® Accessories

- 2.7 mil, 5-layer PE and EVOH construction provides lightweight and effective protection
- No latex or chemical accelerators that can cause allergic reactions
- 45" apron is one size fits all with easily adjustable attached ties
- 20" sleeves can be worn with gloves and/or apron to provide additional protection to arms and shoulders
- 15" booties can be worn as a liner under regular boots or as a cover over shoes and boots
- **WARNING:** The booties offer minimal abrasion resistance and should not be worn as outer protection where the risk of snags, punctures or abrasions is high
- Apron sold individually, sleeves and booties sold per pair

Part Number	Description	Size	Packaged
HONSSA	Apron	45"	Each
HONSSS	Sleeves	20"	Pair
HONSSB	Booties	15"	Pair

**C** HONSSA



HONSSS



HONSSB





# Disposable and Chemical-Resistant Sleeves

# RADNOR

## A. Radnor® Spunbond 18" Polypropylene and PE-Coated Sleeves

- Polypropylene sleeves are non-linting and provide cost effective dry particulate barrier
- PE (polyethylene) coated polypropylene sleeves enhance protection by providing limited liquid holdout
- Sold per pair and packaged 100 pair per case

Part Number	Description	Packaged
RAD64055477	18" Polypropylene Sleeve	100 pr/ca
RAD64055478	18" PE-Coated Polypropylene Sleeve	100 pr/ca

## B. Radnor® 18" Polyethylene Sleeve

- 18" white polyethylene sleeve
- Meets FFDC requirements for food contact
- Sold 1,000 each per case

Part Number	Description	Packaged
RAD64055334	18" Polyethylene Sleeve	1,000 ea/ca

# DUPONT

## C. DuPont™ 18" Tyvek® 400 Sleeve

- Stops sub-micron particles even after it's subjected to abrasion
- Packaged 200 per case; sold individually

Part Number	Description	Packaged
DPPTY500SWH0000	18" Sleeve	200/ca

## D. DuPont™ 18" Tychem® 2000 Sleeve

- Polyethylene-coated DuPont™ Tyvek® to provide light liquid splash protection
- Bond seams and elastic ends
- Packaged 200 per case; sold individually

Part Number	Description	Packaged
DPPQC500BYL0000	18" Sleeve	200/ca

# Ansell

## E. Ansell 59-001 and 59-002 Vinyl Sleeves

- Vinyl sleeves are completely heat-sealed with no exposed elastic
- Ideal for food processing and food service
- 59-002 sold individually, 59-001 sold by the pair

Part Number	Description	Color	Packaged
ANE59-002-18C	8 mil, 18" Vinyl Sleeve	Clear	432 ea/ca
ANE59-001-18C	4 mil, 18" Vinyl Sleeve	Clear	144 pr/ca
ANE59-001-18W	8 mil, 18" Vinyl Sleeve	White	144 pr/ca
ANE59-001-18B	8 mil, 18" Vinyl Sleeve	Blue	144 pr/ca

A



RAD64055478

B



RAD64055334

C



DPPTY500SWH0000



D



DPPQC500BYL0000



E



ANE59-001-18C



### A. HyFlex® Sleeves with INTERCEPT™ Cut Resistance Technology

- **INTERCEPT™ Cut Resistance Technology** cut-resistant yarn
- All-day comfort design, cool and soft on the skin
- Dirt repellent material
- Specially knitted bicep and wrist offer extremely good performance
- Light gray with black/red overedge for color coding

Part Number	Description	Length	Cut Level
ANE11-210-18W	Sleeve without Thumbslot	18"	A2
ANE11-211-18W	Sleeve with Thumbslot	18"	A2

### B. HyFlex® 11-250 and 11-251 Sleeves with INTERCEPT™ Cut Resistance Technology

- High Performance Polyethylene (HPPE) with or without thumbslot
- Seamless design and the options of widths ensure an excellent fit for all day comfort
- Silicone and latex free

Part Number	Description	Length	Cut Level
ANE11-250-18N	Narrow Sleeve without Thumbslot	18"	A3
ANE11-250-18W	Wide Sleeve without Thumbslot	18"	A3
ANE11-251-18N	Narrow Sleeve with Thumbslot	18"	A3
ANE11-251-18W	Wide Sleeve with Thumbslot	18"	A3

### C. HyFlex® 11-280 and 11-281 Sleeves with INTERCEPT™ Cut Resistance Technology

- Seamless design and the options of widths ensure an excellent fit for all day comfort
- Ideal for automotive, machinery, and metal fabrication industries
- Silicone free

Part Number	Description	Length	Cut Level
ANE11-280-18N	Narrow Sleeve without Thumbslot	18"	A4
ANE11-280-18W	Wide Sleeve without Thumbslot	18"	A4
ANE11-281-18N	Narrow Sleeve with Thumbslot	18"	A4
ANE11-281-18W	Wide Sleeve with Thumbslot	18"	A4

### D. HyFlex® 11-200 High Visibility Cut-Resistant Sleeves

- **Comfort:** The most comfortable sleeve in Ansell range - through generous space in the arm area reducing sweat and itchiness
- **Freedom of movement:** Anatomic design enables freedom of movement
- **Safety and longevity:** High visibility in a cut-resistant sleeve with a prolonged wear life due to the Level 2 in abrasion resistance

Part Number	Description	Length	Cut Level
ANE11-200-19	Narrow Sleeve without Thumbslot	19"	A3

**A** ANE11-211-18W



**B** ANE11-250-18W



**C** ANE11-280-18N



**D** ANE11-200-19





## Cut-Resistant Sleeves

# HexArmor®

A



PF3AG10009S-L

### A. HexArmor® 9" Arm Guard AG10009S

- SuperFabric® brand material provides industry-leading cut resistance
- Puncture protection from wires, metal, wood and glass over entire forearm
- Won't fall down like knit sleeves, lightweight and cooler than knit or leather alternatives
- Lasts 13 times longer than competitive sleeves
- Spandex wrist insert with thumbhole
- Sold individually

Part Number	Description	Cut Level
PF3AG10009S-*	Arm Guard	A7

\* To complete Part Number, insert size XS, S, M, L, XL, XXL

## WELLS LAMONT Industrial

### B. Wells Lamont® Whizard® Medium-Duty Armguard

- High performance blend of Spectra®, stainless steel and other fibers
- Medium weight offers protection with less bulk
- Prewashed and preshrunk for a close fit
- CFP 21 approved for food contact; latex free
- Sold individually

Part Number	Description	Length	Cut Level
WLA333477	Forearm Sleeve	10"	A7
WLA333482	Sleeve with Clip	22"	A7



### C. MCR Safety Dyneema® Sleeves

- Dyneema® fiber's cool-to-touch property dissipates body heat and passes moisture from the inside of the sleeve to the outside
- FDA-accepted materials for use in food processing applications
- Sold individually

Part Number	Description	Length	Cut Level
MEG9318D10	10-Gauge Sleeve	18"	A2
MEG9318D10T	10-Gauge Sleeve with Thumb Hole	18"	A2
MEG9318D7	7-Gauge Sleeve	18"	A2
MEG9318D7T	7-Gauge Sleeve with Thumb Hole	18"	A2

# Ansell

### D. Hy-Flex® 59-801 Sleeves

- Made of heavy nylon cane mesh material
- Sleeve offers a high level of cut resistance
- Features a Velcro® closure for easy adjustability
- Sold individually

Part Number	Description	Length	Cut Level
ANE59-801-8	Cane Mesh Sleeve	8"	A3
ANE59-801-9	Cane Mesh Sleeve	9"	A3



NATIONAL SAFETY APPAREL®

### E. NSA Two-Ply Poly Mesh Wristlets

- Offers a high level of cut resistance
- Adjusts with a quick-release flame-resistant hook and loop closure
- Sold per pair

Part Number	Description	Color	Size	Length	Cut Level
N33S01MC7XLG	Poly Mesh Wristlet	Black	Large	7"	A4
N33S01MC9XLG	Poly Mesh Wristlet	Black	Large	9"	A4
N33S01MZ7XLG	Poly Mesh Wristlet	White	Large	7"	A4
N33S01MZ9XLG	Poly Mesh Wristlet	White	Large	9"	A4

B



WLA333482

C



MEG9318D10

D

ANE59-801-9



E

N33S01MC7XLG





# RADNOR

## A. Radnor® 2-Ply Sleeves with 100% DuPont™ Kevlar® Brand Fiber

- Circular knit 100% Kevlar® brand fiber sleeve
- Conforming fit maximizes comfort
- Cut and abrasion resistant with moderate heat protection
- Available with or without thumb slot

Part Number	Description	Length	Cut Level
RAD64056991	2-Ply Sleeve	10"	A3
RAD64056992	2-Ply Sleeve w/Thumb Slot	10"	A3
RAD64056993	2-Ply Sleeve	14"	A3
RAD64056994	2-Ply Sleeve w/Thumb Slot	14"	A3
RAD64056995	2-Ply Sleeve	18"	A3
RAD64056996	2-Ply Sleeve w/Thumb Slot	18"	A3
RAD64056997	2-Ply Sleeve	22"	A3
RAD64056998	2-Ply Sleeve w/Thumb Slot	22"	A3

## B. MCR Safety 100% DuPont™ Kevlar® Sleeve with Leather Pad

- Will not melt, ignite or conduct electricity
- Leather pad provides additional strength and abrasion resistance
- FDA-accepted materials for use in food processing applications
- Sold individually



Part Number	Description	Length	Cut Level
① MEG9374TL	Kevlar® Sleeve w/Thumb Slot and Leather Pad	14"	A4



# WELLS LAMONT Industrial

## C. Wells Lamont® SKC Sleeves

- Constructed of a patented combination of high performance materials and flame resistant fibers
- Blousy fit allows superior comfort and breathability
- Elastic on both ends keeps sleeve in place

Part Number	Description	Length	Cut Level
WLASKC-18H	Sleeve with Thumbhole	18"	A3
WLASKC-24H	Sleeve with Thumbhole	24"	A3

## D. Wells Lamont® Metalguard® Sleeves

- Unique knit sleeve made from a patented combination of Metalguard® yarn and DuPont™ Kevlar® allows for air circulation
- Also available with thumb hole
- Sold individually

Part Number	Description	Length	Cut Level
WLASK-14-KSC	Sleeve	14"	A5
WLASK-18-KSC	Sleeve	18"	A5
WLASK-22-KSC	Sleeve	22"	A5

# Ansell

## E. ActivArm® 59-408 Cut-Resistant Welding Sleeves

- Lightweight and breathable 100% DuPont™ Kevlar® sleeve offers a high level of cut resistance, abrasion resistance, and comfort
- Knitwrist thumb slot provides added protection in the palm and wrist areas
- Contains latex allergy warning
- Sold individually



ANE59-408-22

Part Number	Description	Length	Cut Level
ANE59-408-22	Assembler 100 Sleeve w/Thumb Slot	22"	A2

## F. ActivArm® 59-406 Cut-Resistant Welding Sleeves

- Lightweight and breathable flame-resistant Kevlar® Blend
- Excellent protection from the high heat and open flame
- Superior cut resistance over cotton or light denim sleeves
- Contains latex allergy warning
- Sold individually

Part Number	Description	Length	Cut Level
ANE59-406-22	Welders Sleeve w/Thumb Slot	22"	A2
ANE59-406-26	Welders Sleeve w/Thumb Slot	26"	A2

## F ANE59-406-26



**WARNING ①:** Cancer and Reproductive Harm – [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



# Heat-Resistant/Flame-Resistant Sleeves

## WELLS LAMONT Industrial

### A. Jomac® Mediumweight Loop-In Terry Cloth Sleeves

- Mediumweight seamless loop-in terry cloth
- Protects up to 200°F
- Elastic top and bottom keeps sleeve in place
- Sold individually

Part Number	Description	Length
WLAS-20MS	Mediumweight Loop-In Terry Cloth Sleeve	17"

### B. Jomac® Heavyweight Loop-Out Terry Cloth Sleeves

- Heavyweight cut and sewn loop-out terry cloth
- Protects up to 350°F
- Knit wrist with elastic top to secure sleeve
- Sold individually

Part Number	Description	Length
WLAS-15HR	Heavyweight Loop-Out Terry Cloth Sleeve	14"

#### A WLAS-20MS



#### B WLAS-15HR



NATIONAL  
SAFETY APPAREL®

### C. NSA 13 oz Fusion™ Aluminized Carbon DuPont™ Kevlar® Sleeves

- 13 oz sleeves provide superior protection from heat, sparks and molten metal splash
- Sold by the pair

Part Number	Description	Length
N33S02NJ18I	13 oz Sleeve	18"

#### C N33S02NJ18I



## RADNOR

### D. Flame-Resistant Cotton Sleeves

- Cool comfortable and washable
- Protects arms from sudden flame exposure, light-duty welding and sparks
- Sold per pair

Part Number	Description	Length
<b>2 1/4" Elastic at Both Ends</b>		
RAD64054953	9 oz FR Cotton Sleeves	18"
RAD64054954	9 oz FR Cotton Sleeves	23"
<b>Standard Elastic at Both Ends</b>		
RAD64054950	9 oz FR Cotton Sleeves	18"
RAD64054952	9 oz FR Cotton Sleeves	23"
<b>Standard Elastic, Snap at Wrist</b>		
RAD64054951	9 oz FR Cotton Sleeves	18"

#### RAD64054953



#### D

#### RAD64054952



#### RAD64054951





**RADNOR****A. Radnor® Economy PVC Boots**

- Unique scalloped top line design combined with graduated heights helps eliminate chaffing in the calf area
- Tailored fit in the vamp and heel areas help prevent blisters
- Contour molded insole helps reduce fatigue
- Sole is designed for durability and traction

Part Number	Description	Size
RAD64055859 thru 69	Steel Toe Economy PVC Boot	5-15
RAD64055850 thru 58	Plain Toe Economy PVC Boot	6-14

**B. Radnor® PVC Overboots**

- Self-cleaning treads on the outsole keep gripping edges free for better traction
- Rugged elastic loops are attached on one side and draw across the generous gusset for a snug, comfortable, flexible fit
- Boot buttons are part of the overboot mold so they won't leak like add-on snaps
- Patterned toes and heels provide additional wear resistance
- Kick-off lugs are permanently molded on the heel and extra large to help remove overboots easily

Part Number	Description	Color	Size
RAD64055771	4", PVC Overshoe	Black	Small
RAD64055772	4", PVC Overshoe	Black	Medium
RAD64055773	4", PVC Overshoe	Black	Large
RAD64055774	4", PVC Overshoe	Black	XLarge
RAD64055776	12", PVC Overboot	Black	Small
RAD64055777	12", PVC Overboot	Black	Medium
RAD64055778	12", PVC Overboot	Black	Large
RAD64055779	12", PVC Overboot	Black	XLarge

Radnor® Men's Sizes	S	M	L	XL
	6-8	9-10	11-13	14-15

**C. Radnor® Latex Hazmat Boot Covers**

- 100% dipped construction of latex rubber that is 0.60 mm thick
- Ribbed and textured sole that is ideal for spill clean-ups, municipalities and utility use

Part Number	Description	Size
RAD64055870	12", Latex Boot Covers	Large
RAD64055871	12", Latex Boot Covers	XLarge
RAD64055872	12", Latex Boot Covers	2XLarge
RAD64055873	12", Latex Boot Covers	3XLarge

**RAD64055859****RAD64055778****RAD64055870****TINGLEY**

est. 1896

**D. Tingley Workbrutes® G2 Overshoes and Overboots**

- Injection molded, seamless construction for 100% liquid-proof protection
- Expansion pleats for incredibly easy donning
- Frigiflex® PVC compound keeps overshoes highly stretchable and flexible in cold temperatures
- Increased thickness in high wear areas such as the heel, toe and cleats
- No lining for easy cleaning, laundering, and decontamination
- Slip resistant, self cleaning, cleated outsole provides traction on a variety of surfaces and conditions

Part Number	Description
❶ T5245811-*	5½", Overshoe
❷ T5245821-*	10", Overboot

\* To complete Part Number, insert size S, M, L, XL, 2X



**WARNING** ⚠: This product can expose you to chemicals which are known to the State of California to cause birth defects and other reproductive harm and/or cancer. For more information, visit Cancer and Reproductive Harm — [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Head and Face  
ProtectionHearing  
ProtectionRespiratory  
Protection

Instrumentation

Fall Protection  
Confined SpacesHand  
ProtectionProtective  
WorkwearFirst Aid  
ProductsSpill Control &  
Containment

Facility Supplies

Flammable  
Storage





Head and Face Protection

Hearing Protection

Respiratory Protection

Instrumentation

Fall Protection  
Confined Space

Hand Protection

Protective  
Workwear

First Aid  
Products

Spill Control &  
Containment

Facility  
Supplies

Flammable  
Storage

## A. White Storm King Hip Waders

- Heavy-duty hip waders offer complete waterproof protection with a built-in steel toe and steel shank
- Non-absorbent polyester lining with removable insoles allows for hygienic cleaning of boot interior
- Provides excellent cold weather flexibility
- Resist oils, grease, gasoline and saltwater
- Non-conductive, adjustable polyester nylon straps
- Excellent choice for utilities, municipalities and agriculture

Part Number	Description	Size
DIF86049	27", Steel Toe	8-12

## B. Slicker PVC Overboots

- Yellow overboots are constructed of Flex-O-Thane/PVC compound to provide waterproof protection and extended wear in abrasive work conditions
- Fits easily over most work shoes
- Excellent cold weather flexibility and chemical resistance
- Order by shoe size

Part Number	Description	Size
DIF88050	17", Slicker with Strap	9-15

## C. PolyFlex 3 PVC Steel Toe Boots

- Provides moderate degree of resistance to animal fats especially poultry, acids, oils, greases and chemicals with its high molecular weight PVC and urethane compound
- Proprietary yellow compound throughout the long-lasting abrasion-resistant Power Lug outsole enhances slip resistance on indoor surfaces while it cushions for added comfort
- Steel shank offers firm arch support, and lower toe spring offers a comfortable fit with superior surface contact
- Nylon net lined for easy on/off
- Steel toe style complies with ASTM F2413-11 Standard

Part Number	Description	Size
DIF89908	16", Steel Toe Boots	7-13

## D. PolyGoliath PVC Steel Toe Boots

- Provides a moderate degree of resistance to animal fats especially poultry, acids, oils, greases and chemicals with its high molecular weight PVC and urethane compound
- Power Lug outsole is designed for excellent slip resistance and traction in wet conditions
- Lower toe spring offers a comfortable fit and superior surface contact
- Steel shank provides firm arch support
- Nylon net lined for easy on/off
- Steel toe style complies with ASTM F2413-11 Standard

Part Number	Description	Size
DIF89682	16", Steel Toe Boots	7-14

**A** DIF86049



**B** DIF88050



**C** DIF89908



**D** DIF89682





# Ergonomic Supports



## A. Ergodyne ProFlex® 4000 Single and 4010 Double Strap Wrist Supports

- ProFlex® 4000 series limits downward (flexion) wrist movements
- ProFlex® 4010 series limits downward (flexion) and upward (extension)
- Two-stage hook and loop closure
- Patented Open-Center Stay™

Part Number	Description	Size	Hand
E5770002	4000 Single Strap Wrist Support	Small	Right
E5770004	4000 Single Strap Wrist Support	Medium	Right
E5770006	4000 Single Strap Wrist Support	Large	Right
E5770008	4000 Single Strap Wrist Support	XLarge	Right
E5770012	4000 Single Strap Wrist Support	Small	Left
E5770014	4000 Single Strap Wrist Support	Medium	Left
E5770016	4000 Single Strap Wrist Support	Large	Left
E5770018	4000 Single Strap Wrist Support	XLarge	Left
E5770022	4010 Double Strap Wrist Support	Small	Right
E5770024	4010 Double Strap Wrist Support	Medium	Right
E5770026	4010 Double Strap Wrist Support	Large	Right
E5770028	4010 Double Strap Wrist Support	XLarge	Right
E5770032	4010 Double Strap Wrist Support	Small	Left
E5770034	4010 Double Strap Wrist Support	Medium	Left
E5770036	4010 Double Strap Wrist Support	Large	Left
E5770038	4010 Double Strap Wrist Support	XLarge	Left

## B. Ergodyne ProFlex® Supports and Sleeves

All supports and sleeves are ambidextrous and are made with neoprene four-way stretch fabric that provides uniform support and sense of warmth.

Part Number	Description	Size
E5716612	670 Single Strap Wrist Support	Small
E5716613	670 Single Strap Wrist Support	Medium
E5716614	670 Single Strap Wrist Support	Large
E5716615	670 Single Strap Wrist Support	XLarge
E5716001	500 Elbow Support	XSmall
E5716002	500 Elbow Support	Small
E5716003	500 Elbow Support	Medium
E5716004	500 Elbow Support	Large
E5716005	500 Elbow Support	XLarge
E5716582	655 Elbow Sleeve	Small
E5716583	655 Elbow Sleeve	Medium
E5716584	655 Elbow Sleeve	Large
E5716585	655 Elbow Sleeve	XLarge
E5716502	600 Knee Sleeve	Small
E5716503	600 Knee Sleeve	Medium
E5716504	600 Knee Sleeve	Large
E5716505	600 Knee Sleeve	XLarge
E5716532	615 Knee Sleeve, Open Patella	Small
E5716533	615 Knee Sleeve, Open Patella	Medium
E5716534	615 Knee Sleeve, Open Patella	Large
E5716535	615 Knee Sleeve, Open Patella	XLarge
E5716542	620 Knee Sleeve, Open Patella/Spiral Stays	Small
E5716543	620 Knee Sleeve, Open Patella/Spiral Stays	Medium
E5716544	620 Knee Sleeve, Open Patella/Spiral Stays	Large
E5716545	620 Knee Sleeve, Open Patella/Spiral Stays	XLarge



## C. OK-1 by OccuNomix Original OccuMitts® Gloves



- Lightweight, four-way beige stretch fabric promotes proper wrist position, retains soothing body heat and enhances circulation
- Fingerless, providing full dexterity
- Sold per pair, size measurements are across knuckles

Part Number	Description	Size	Knuckle Span
OCC450-3S	Gloves	Small	2½"-3"
OCC450-4M	Gloves	Medium	3"-3½"
OCC450-5L	Gloves	Large	3½"-4½"

## D. OK-1 by OccuNomix Elastic Wrist Supports

- 3" wide elastic wrap with elastic thumb loop makes individual application and tension adjustment easy
- Ambidextrous, with hook and loop closure

Part Number	Description	Size
OCC311-068	Wrist Support without Thumb Loop	Universal
OCC311-L68	Wrist Support with Thumb Loop	Universal

## E. OK-1 by OccuNomix Elastic Ergo Wrist Assist™ Wrap

- Hook and loop closure provides desired fit and comfort

Part Number	Description	Size
OCC310-LY8	Wrist Wrap	Universal







### A. DuraPro® XCP Steel Toe Boots

- 360-degree pull tab for easy donning and doffing
- Features protective steel toe caps, fuel and chemical resistance, and are energy absorbing
- 100% waterproof to keep your feet dry under wet conditions
- Steel toe complies with ASTM F2413-11 with steel shank

Product Code	Description	Size
DIF84086	Steel Toe Boots	8-13

### B. Superpoly® Steel Toe Boots

- Ideal for use in meat processing plants, slaughterhouses, chemical plants and canneries
- Brick red urethane PVC compound with a chevron sole
- Features include pull-up and kick-off lugs, built-in steel shank, (men's style only) and a removable cushion insole
- Steel toe style complies with ASTM F 2413-11 Standard

Part Number	Description	Size
DIF85324	16", Steel Toe Boots	8-13

### C. SureFlex Steel Toe Boots

- 100% waterproof, high molecular weight, PVC/Nitrile sole and soft flexible, high performance PVC compound upper
- Resist animal fats, petroleum, oil grease and chemicals
- Orange slip-resistant Safety-Loc™ outsole for superior slip resistance
- Removable insole for added comfort
- Steel shank for firm arch support
- Kick-off lugs for easy removal
- Steel toe complies with ASTM F2413-11

Part Number	Description	Size
DIF87982	16", Steel Toe Boots	7-13

### D. Hazmax® Steel Toe Boots

- Over-the-sock knee boots in high visibility green, chemical resistant PVC with yellow non-slip soles feature steel toe, steel laddershank and full steel mid-sole to help protect from chemical penetration and contamination
- Excellent choice for emergency response teams, hazmat personnel and site remediation workers
- Flash fire certified—limited flash fire protection for escape only in the event of a chemical fire
- Meets ASTM F2413-11 PR EH Standard and is NFPA 1991, 2005 Certified

Part Number	Description	Size
① DIF87012	16", Steel Toe Boot	8-15

**A** DIF84086



**B** DIF85324



**C** DIF87982



**D** DIF87012



**WARNING ①:** This product can expose you to chemicals including Antimony Oxide (Antimony trioxide), which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Head and Face Protection

Hearing Protection

Respiratory Protection

Instrumentation

Fall Protection  
Confined Spaces

Hand Protection

Protective Workwear

First Aid Products

Spill Control & Containment

Facility Supplies

Flammable Storage



# SERVUS<sup>®</sup>

by Honeywell

## Servus<sup>®</sup> Triple Density Technology<sup>™</sup> (TDT<sup>™</sup>)

Superior comfort and protection for workers in virtually every work environment.

TDT<sup>™</sup> combines three distinct compounds in the upper, midsole and outsole of each boot. Compounds resistant to degradation can be combined with outsole compounds that provide the optimum balance of durability and slip resistance. Plus, these TDT<sup>™</sup> models are widely recognized as the most comfortable injection molded knee boots available.

### Features of Servus<sup>®</sup> TDT<sup>™</sup> Boots

- 100% waterproof construction
- Extended, ribbed steel shank
- Ergonomic molded footbed
- Boot height proportioned to foot size
- Higher, wider heel kick-off lugs
- Each model compounded for the demands of specific applications and environments
- Outsoles combine durability and slip resistance

#### A. XTP<sup>®</sup> Boots

- TDT<sup>™</sup> self-cleaning, extra traction performance outsole
- Chemical-resistant and designed for poultry processing, food processing, petroleum processing, dairy and general industry
- Meets ASTM 2413-11 M I/75 C/75 EH

Part Number	Description	Men's Size
HON75109	15", Safety Knee Boots, Steel Toe	6-13
HON75108	15", Safety Knee Boots, Plain Toe	6-13

#### B. PRO<sup>®</sup> Boots

- Chemical-resistant safety knee boots, with steel toe, and TDT<sup>™</sup> outsole
- Designed for meat, petrochemical and petroleum industry
- Meets ASTM 2413-11 M I/75 C/75 EH

Part Number	Description	Men's Size
HON75101	15", Safety Knee Boots, Steel Toe	6-13
HON75102	15", Safety Knee Boots, Plain Toe	6-13

### C. Neoprene III<sup>®</sup> Boots

- Removable insoles provide shock absorption and moisture wicking
- Neo-Grip<sup>™</sup> is engineered to act as suction cups to improve slip resistance and provide confidence while walking on wet surfaces
- Meets ASTM F2413-11 M I/75 C/75 EH

Part Number	Description	Men's Size
HON22148	12", Neo-Grip <sup>™</sup> Sole, Steel Toe	7-13
HON22114	12", Chevron Sole, Steel Toe	7-13
HON22214	16", Chevron Sole, Steel Toe	7-13

### D. Flex-Gard Flexible Metatarsal Guard Boots

- Offers comfort and flexibility along with metatarsal foot protection
- Waterproof rubber compound boots feature steel toes and SAFE-STEP puncture resistant steel midsoles
- Heavy Trac Tread<sup>™</sup> outsoles are made of high abrasion rubber for durability
- Meets ASTM F2413-11 MI/75 C/75. MT/75, PR

Part Number	Description	Men's Size
HON2149	12", Metatarsal Guard	8-13

**A** HON75109



**B** HON75101



**C** HONR22148



**D** HON2149



HON22214





**TINGLEY**

est. 1896

**A. Tingley Pylon® Neoprene Boots**

- Neoprene rubber outwears standard rubber boots in solvents, caustics, hydrocarbons, oils, fats, and acids
- More material in the toe and heel, optimum comfort and protection
- Removable polyurethane contour cushion insoles and fabric liner
- Chevron outsoles provide excellent slip resistance
- Safety-toe meets ASTM F2413-18 M/I/C EH, for steel toe caps and Electrical Hazard Protection

Part Number	Description
① T52MB921B-*	16", Steel Toe, Chevron Outsole

\* To complete Part Number, insert size 8, 9, 10, 11, 12, 13

**B. Tingley Premier G2 PVC Boots**

- Injection molded seamless construction is 100% waterproof
- Calf Relief Expansion (CRE)™ expands up to 1.5 inches for more calf comfort
- Chevron-Plus® outsole provides excellent slip resistance and more cleat material
- Extra thick, removable contour cushion insoles
- Composite safety-toe meets ASTM F2413-18 M/I/C EH, and does not transfer cold or set off metal detectors

Part Number	Description
① T5293255-*	15", Composite Safety Toe, Chevron-Plus® Outsole

\* To complete Part Number, insert size 7, 8, 9, 10, 11, 12, 13

**C. Tingley Flite® Boots**

- Made from Aerex 1.5.5®, making boots over 40% lighter compared to most steel toe PVC and rubber knee boots
- Durable, seamless upper is 100% liquid proof
- Tiny air bubbles trapped within the material keep feet warm in the cold and cooler in the heat
- Calf-Relief Topline (CRT)™ provides easier on and off and roomier calf space
- Composite safety toe meets ASTM F2413-18 M/I/C EH and will not set-off metal detectors

Part Number	Description
① T5227251-*	15", Composite Safety Toe, Cleated Outsole

\* To complete Part Number, insert size 8, 9, 10, 11, 12, 13

**C** T5227251-10**SERVUS**

by Honeywell

**D. Servus® Muck® Industrial Work Boots**

- Lightweight, self-insulating, 5 mm CR flex-foam keeps out cold temperatures
- Sealed for 100% waterproof reliability
- Removable EVA sock liner adds support and comfort
- Breathable air-mesh lining wicks away humidity and perspiration
- Diamond-textured toe and heel reinforcements resist scuffs and scratches
- Meets ASTM F2413-11 M I/75 C/75

Part Number	Description	Size
HONCHS000A	16", Steel Toe	7-14

**A** T52MB921B-10**B** T5293255-10**D** HONCHS000A

**WARNING** ⚠: This product can expose you to chemicals which are known to the State of California to cause birth defects and other reproductive harm and/or cancer. For more information, visit Cancer and Reproductive Harm — [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



# Industrial Footwear



## IMPACTO

PROTECTIVE PRODUCTS

### A. Impacto Toes2Go Adjustable Steel Toe Caps

- Perfect for visitors, temporary or casual workers
- Treads under sole prevent slipping

- 100% waterproof, will not harden, stiffen or crack
- Adjustable straps for fitting multiple sizes
- Meets Impact and Compression Resistance 75 lb Rating per ASTM F2412-11/F2413-11

Part Number	Description	Color	Men's Size	Women's Size
I31T2G-S	Steel Toe Cap	White	2-7	4-9
I31T2G-M	Steel Toe Cap	Red	8-13	10-13
I31T2G-L	Steel Toe Cap	Green	14-16	

### B. Impacto METGUARD Metatarsal Protector

- Non-conductive for heat and electricity
- Fits all safety shoes and boots with optional attachment straps
- Practical, comfortable and simple to use
- Conforms with stringent Worldwide Safety Footwear Standards
- Meets minimum impact resistance 75 lbs as specified in ASTM F2412-11/F2413-11 (ANSI Z41)

Part Number	Description
I31METGUARD	For use with footwear with laces
I31METSTRAP	Straps for non-laced footwear

## SERVUS

by Honeywell

### C. Servus® Puncture Resistant Midsoles

- Breathe-O-Prene technology wicks away foot moisture
- Open cell structure reduces insole drying time
- Provides some shock absorption for greater comfort

Part Number	Description	Size
HON27002	Breathe-O-Prene Replacement Insoles	7-13

### D. Ergodyne Trex™ 6300 Ice Traction Device

- 8 rugged, heat-treated carbon steel studs for grip & stability
- Stretchable rubber for fit and easy on/off
- Flexible to -40°F (-40°C)

Part Number	Description	Size
E5716753	Carbon Steel Studs	Medium (5 - 8)
E5716754	Carbon Steel Studs	Large (8 - 11)
E5716755	Carbon Steel Studs	XLarge (11 - 13)

### E. OccuNomix HEATPAX™ Toe Warmers

- Designed to fit comfortably under toes in shoes or boots
- 6 hours of full power
- Safe, non-toxic, odorless
- First 2 hours are 25% warmer than leading brands

Part Number	Description	Packaged
OCC1106-10TW	Toe Warmers	5 pr/pk

A I31T2G-M



B I31METGUARD



C HON27002-10



D E5716754



E OCC1106-10TW







### A. Timberland PRO® Boondock Boots

- Premium waterproof leather with waterproof membrane
- Composite safety toe
- Combination three-quarter Goodyear welt and cement heel construction
- Padded top collar and dual-purpose top hardware

Part Number	Description	Size
R30T92615	6", Composite Safety Toe	7-15

### A R30T92615-10




### B. Timberland PRO® Helix Boots

- Premium waterproof leather with waterproof membrane
- Alloy safety toe
- Cement construction
- Anti-Fatigue Technology with conical geometry in polyurethane midsole
- Padded top collar and dual-purpose top hardware
- Molded EVA midsole

Part Number	Description	Size
R30T85594	6", Alloy Safety Toe	5-15

### B R30T85594-10




### C. Timberland PRO® Pit Boss Boots

- Rugged nubuck leather
- Steel safety toe
- Goodyear welt construction
- Padded top collar and cast metal top hooks
- Polyurethane midsole and nylon shock-diffusion plate

Part Number	Description	Size
R30T33034	6", Steel Safety Toe	7-15

### C R30T33034-10



Head and Face Protection

Hearing Protection

Respiratory Protection

Instrumentation

Fall Protection  
Confined Spaces

Hand Protection

Protective Workwear

First Aid Products

Spill Control &amp; Containment

Facility Supplies

Flammable Storage



# Knee Pads and Kneeling Pads



## A. OK-1 by OccuNomix Classic Fabric Cap

- Durable 600 Denier Polyester is ideal for delicate surfaces
- Lightweight and comfortable
- High density foam body with hook and loop closure

Part Number	Description	Packaged
OCCOK-KP-350	Classic Fabric Knee Pads	Per Pair

## B. OK-1 by OccuNomix Value Contoured Hard Cap

- PE plastic hard cap provides heavy-duty protection
- EVA foam padding provides support and protection
- Polyester and tricot fabrics with hook and loop closure

Part Number	Description	Packaged
OCC125	Value Contoured Hard Cap Knee Pads	Per Pair

## C. OK-1 by OccuNomix Classic Wide Cap Knee Pads

- EVA foam padding for comfort and cushioning
- Wide flexible PVC cap provides broad area of protection, durability and ergonomic fit
- Polyester and tricot fabrics with hook and loop closure

Part Number	Description	Packaged
① OCC126	Classic Wide Cap Knee Pads	Per Pair

## D. OK-1 by OccuNomix Classic Non-Marring Knee Pads

- Non-marring molded rubber cap with gripping ridges ideal for delicate surfaces
- EVA foam padding for comfort and cushioning
- Durable 600 Denier Polyester with hook and loop closure

Part Number	Description	Packaged
OCC127	Classic Non-Marring Knee Pads	Per Pair

## E. OK-1 by OccuNomix Premium Flat Cap Gel Knee Pads

- Gel-injected EVA foam padding to absorb impact and provide superior comfort
- Polyester, jersey and neoprene fabrics
- Hook and loop neoprene split strap closure
- Sold by the pair

Part Number	Description	Material	Color
OCC121	Premium Flat Cap Gel Knee Pads	Hard PE	Black
② OCC122	Premium Flat Cap Gel Knee Pads	Soft PVC	Clear



## F. Ergodyne ProFlex® 347 and 357 Lightweight Gel Knee Pads

- Non-slip rubber cap grips kneeling surface
- Lightweight gel + EVA foam for mobile comfort
- Bottom webbing and top elastic straps
- Plastic clips cinch tight and keep straps secure
- Short cap design for mobility when kneeling
- Long cap design provides protection and stability

Part Number	Description
E5718447	347 Long Cap Gel Knee Pads
E5718457	357 Short Cap Gel Knee Pads

## G. Ergodyne ProFlex® 380 and 385 Kneeling Pads

- Perfect for static kneeling situations
- Non-conductive, silicone-free and resistant to petroleum products
- Convenient carrying handles, ProFlex® 385 has beveled edges for safety

Part Number	Description	Size
E5718380	ProFlex® 380 Kneeling Pad	14" x 21" x 1"
E5718385	ProFlex® 385 Kneeling Pad	16" x 28" x 1"



OCCOK-KP-350



OCC125



OCC126



OCC121



OCC122



E5718447



E5718457



E5718380

E5718385



**WARNING ①:** Cancer – [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



**WARNING ②:** Cancer and Reproductive Harm – [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)





**A** E5711473



E5711493

**C** E5711094

**D** E5711384



**E** E5711604

**F** E5711284



## A. ProFlex® 1500 Standard Weight Lifters Back Supports

- 7¾" rigid support, ideal for overhead lifting
- Durable 900D foam laminated nylon body fabric
- Lumbar pad insert

Part Number	Description	Size	Length
E5711471	Weight Lifters Back Support	Small	25"-30"
E5711472	Weight Lifters Back Support	Medium	30"-34"
E5711473	Weight Lifters Back Support	Large	34"-38"
E5711474	Weight Lifters Back Support	XLarge	38"-42"
E5711475	Weight Lifters Back Support	2XLarge	42"-46"

## B. ProFlex® 1505 Low-Profile Weight Lifters Back Supports

- 6¼" low-profile tapered design
- Flexible soft foam core covered with nylon jersey body fabric
- Rubber track webbing

Part Number	Description	Size	Length
E5711491	Weight Lifters Back Support	Small	25"-30"
E5711492	Weight Lifters Back Support	Medium	30"-34"
E5711493	Weight Lifters Back Support	Large	34"-38"
E5711494	Weight Lifters Back Support	XLarge	38"-42"
E5711495	Weight Lifters Back Support	2XLarge	42"-46"

## C. ProFlex® 1650 Economy Elastic Back Supports

- 7½" economical, all-elastic body with 5" single strap closure
- Non-conductive polypropylene stays with detachable suspenders
- Rubber track webbing

Part Number	Description	Size	Length
E5711092	Economy Belt	Small	25"-30"
E5711093	Economy Belt	Medium	30"-34"
E5711094	Economy Belt	Large	34"-38"
E5711095	Economy Belt	XLarge	38"-42"
E5711096	Economy Belt	2XLarge	42"-46"

## D. ProFlex® 100 Economy Spandex Back Supports

- 8" economical spandex body
- Non-conductive polypropylene stays with detachable suspenders
- Rubber track webbing

Part Number	Description	Size	Length
E5711382	Spandex Back Support	Small	25"-30"
E5711383	Spandex Back Support	Medium	30"-34"
E5711384	Spandex Back Support	Large	34"-38"
E5711385	Spandex Back Support	XLarge	38"-42"
E5711386	Spandex Back Support	2XLarge	42"-46"

## E. ProFlex® 1100SF Standard Spandex Back Supports

- Patented non-conductive Sticky Fingers® stays
- Adjustable, detachable suspenders
- Patented Power Panel™ positioners

Part Number	Description	Size	Length
E5711602	Standard Back Support	Small	25"-30"
E5711603	Standard Back Support	Medium	30"-34"
E5711604	Standard Back Support	Large	34"-38"
E5711605	Standard Back Support	XLarge	38"-42"
E5711606	Standard Back Support	2XLarge	42"-46"

## F. ProFlex® 2000SF High-Performance Spandex Back Supports

- Patented non-conductive Sticky Fingers® stays
- Patented V-shaped design and Power Panel™ positioners

Part Number	Description	Size	Length
E5711282	High-Performance Back Support	Small	25"-30"
E5711283	High-Performance Back Support	Medium	30"-34"
E5711284	High-Performance Back Support	Large	34"-38"
E5711285	High-Performance Back Support	XLarge	38"-42"
E5711286	High-Performance Back Support	2XLarge	42"-46"

Head and Face Protection

Hearing Protection

Respiratory Protection

Instrumentation

Fall Protection  
Confined Spaces

Hand Protection

Protective Workwear

First Aid Products

Spill Control & Containment

Facility Supplies

Flammable Storage



# MAIL/FAX ORDER/RFQ FORM

**All Safety Products, Inc.**

**www.allsafetyproducts.com** Sales Rep Code \_\_\_\_\_

P.O. Box 6353

Lakewood, CA 90714-6353 Phone: 562.630.3700

**Office Use Only**

Sales Order/RFQ # \_\_\_\_\_

Date Order/RFQ Received \_\_\_\_\_

**Bill To:**

**Ship To:**

Company Name			Company Name		
Contact Name			Contact Name		
Address			Address		
City, State, Zip			City, State, Zip		
Contact Phone Number Fax #			Contact Phone Number Fax #		
E-Mail Address			E-Mail Address		
PO Number	Acct #	Required Date	Ship Method	Payment (CC, Check, PO...?)	

Quantity	Part #	Cat. Page #	Description	Unit Price	Amount

Comments:

## Office Use Only

Credit Card#:	Subtotal:	
Type of Card (MasterCard/Visa/American Express – No Discover):		
Name on Card:		
Card Bill Address:		
Card Bill City, State, Zip:		
CVV Code (on back of card, usually 3 or 4 digits)		
Expiration Date:		
Buyer Approval:	Shipping:	
	Total:	

E-mail: [sales@allsafetyproducts.com](mailto:sales@allsafetyproducts.com) If filling out credit info, please don't e-mail. Okay to Fax Order to 562.630.3800